Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

MPD-BP2-NSBF-SW2.4SP2-CZ-1.K01-M1

Portable Power Distribution - 2400 VA - 20A Main Breaker - 480V AC to 240V European (L+N) - (1) 16A 2-Pin Schuko Receptacle - NEMA 5-20P Cord Cap

Product ID: 272204

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

MPD-BP2-NSBF-SW2.4SP2-CZ-1.K01-M1 Temporary Power Distribution System

Line In Cable: 10' 12/3 SOOW
Line In Cord Cap: 5-20P
Primary Voltage: 480 V AC
Transformer VA: 2400 (2.4 kVA)
Secondary Voltage: 240 V European (L+N)
Secondary Outlets: (1) 16 A 2-Pin Schuko Receptacle w/ Weatherproof Cover
Dimensions: 25"H x 14"W x 11"D
Mounting: Carrying Handle/Surface Mount
Weight: 55 lb
Ratings: NEMA3R Weatherproof

Ratings / Approvals

Max Primary OCP: 20A @ 120V
Max Secondary Output: 10A @ 240V
NEMA 3R Indoor or Outdoor Use
Made in the USA
NRTL Certified to UL 1640
NRTL Certified to CSA C22.2 No. 14

Special Orders - Special Requirements

Contact us for special requirements
Toll Free: 1-800-369-6671
Intl: 1-903-270-1187
Fax: 1-903-498-3364
E-mail: sales@larsonelectronics.com

Made in the USA

The MPD-BP2-NSBF-SW2.4SP2-CZ-1.K01-M1 from Larson Electronics is a Temporary Power Distribution System that steps down 480 V AC to 240 V European (L+N) and is ideal for powering 240 V Euro single phase based lights and equipment. This transformer features a 480 V primary voltage with 10` 12/3 SOOW input whip and 240 V Euro (L+N) secondary side with one 16 amp rated 2-pin Schuko receptacle.

The MPD-BP2-NSBF-SW2.4SP2-CZ-1.K01-M1 temporary portable power

distribution systems features a 2.4 kVA (2400 VA) transformer that is protected by a 20 amp single pole main breaker. IT is built to provide operators with a reliable means to step down commonly found 480 V AC to 230 V European (L+N) while also providing the versatility of allowing operation of standard voltage equipment. The MPD-BP2-NSBF-SW2.4SP2-CZ-1.K01-M1 is rated for 20 amps max on input side (2000 VA, 2 kVA) continuous use and provides a maximum of 10 amps on the output side.

This compact power distribution transformer is designed for portability and convenience as well as durability and includes an integral carrying handle, elevated base platform for protection from standing water, and weatherproof construction that withstands direct water spray and wetness when the self sealing and weatherproof outlet cover is closed.

The MPD-BP2-NSBF-SW2.4SP2-CZ-1.K01-M1 portable power distribution system converts primary 480 V AC electrical current into 230 Volts European (L+N). Primary current is brought in via 10` of 12/3 SOOW cable terminated in a 5-20P cord cap. The output side is equipped with one 16 amp rated 2-pin Schuko receptacle.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Frequently Asked Questions (FAQ)

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

MPD-BP2-NSBF-SW2.4SP2-CZ-1.K01-M1

Product ID: 272204

Export Control Classification Number (ECCN): EAR99

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Links (Click on the below items to view):

- **ANSI Certificate 1**
- **Canadian CEC Certificate (Commonly referred to as CSA Certificate)**
- **CE Certificate**
- **Certificate 1, Misc**
- **Certificate 2, Misc**
- **Certificate 5, Misc**
- **RoHS Certificate (Restriction of Hazardous Substances)**
- **USA NEC Certificate (Commonly referred to as UL Certificate)**
- **HigResPic1**
- **ISO 9001 Certification**
- **Business Certificate**
- **Shipping Time Map**