Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

IND-AH-UVC-LF-24-WF-WLM-120V

17W Fluorescent Uplight Wall Sconce Fixture - 1325 Lumens - 10' 16/3 SOOW Cord

Product ID: 272570

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

This unit is Made In USA - Manufactured in Texas

IND-AH-UVC-LF-24-WF-WLM-120V Fluorescent Wall Mount Uplight Fixture

Lamp Technology: Fluorescent

Dimensions: 24.00"L x 4.50"W x 7.875"H

Weight: 38 lb

Voltage: 120 V AC, 50/60 Hz

Total Watts: 17W

Total Lumens: 1325 Lumens

Luminous Efficacy: 77.9 Lm/W

Expected Lifespan: 24,000+ Hours

Lamp Base: G13 Medium Bi-Pin

Replacement Lamp: FRL-24-1X

Beam Angle: 180°

Light Configuration: Flood

Amps: -

Ambient Operating Temp Range: -

Materials: 304 Stainless Steel Enclosure

Front Panel: Louvers

Mounting: Wall Mount

Wiring: 10' 16/3 SOOW Cord w/ Cord Cap

Cord Cap: 5-15 Straight, L5-15 Twist, or Pigtail

Ratings/Features

T8 Bulb Shape

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-903-270-1187

Fax: 1-903-498-3364

E-mail: sales@larsonelectronics.com

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

This unit is Made In USA - Manufactured in Texas

The IND-AH-UVC-LF-24-WF-WLM-120V from Larson Electronics is a Fluorescent Uplight Wall Sconce Fixture that is designed to provide a source of wall mounted uplight in a variety of locations. This stainless steel unit features a single 17 watt fluorescent bulb that produces 1325 lumens and has a life expectancy of 24,000 hours. The IND-AH-UVC-LF-24-WF-WLM-120V is a wall mounted unit and operates on 120V AC current.

The IND-AH-UVC-LF-24-WF-WLM-120V is a lighting solution for industrial sites, commercial facilities, restaurants, public spaces, office buildings, and other locations where wall mounted light is required or needed. Equipped with a fluorescent lamp, this system offers 1325 lumens of light output at a color temperature of 4100K. The lights have an expected lifespan of 24,000+ hours and emit a flood beam pattern.

Construction: The enclosure of the IND-AH-UVC-LF-24-WF-WLM-120V is built from 304 stainless steel. A series of louvers diffuses the light projected from the fixture while parabolic reflectors with specular aluminum inserts direct as much light from the bulb out of the unit as possible.

Click Photos to Enlarge



5-15 Straight Blade Plug
15 Amp / 125V Rated



L5-15 Twist Lock Plug
15 Amp / 125V Rated



Flying Leads / Pigtail Wires

Wiring/Plug: This unit comes with 10 feet of 16/3 chemical and abrasion resistant SOOW cord that is fitted with an industrial grade cord cap for easy connection to common wall outlets. Plug options include standard 5-15 15 amp straight blade plug for 110V wall outlets with ground or NEMA L5-15 15 amp twist lock plug for 125V twist lock outlets. Alternatively, we can provide flying leads with no plug for hard wire applications or for operators who prefer to wire in user provided cord caps. Please choose pigtail option below for flying leads with no plug.

Mounting: The IND-AH-UVC-LF-24-WF-WLM-120V is designed to be wall mounted. Four mounting holes on the back of the enclosure allow for mounting to a flat and level vertical surface. The mounting surface must be able to support 38 lb of weight.

Applications: General lighting purposes in industrial sites, commercial facilities, restaurants, public spaces, office buildings, and other locations where wall mounted light is required or needed.

Larson Electronics is a manufacturer and as such can build stationary and portable transformer systems to your specifications. Although we carry several models of power distribution transformer systems, we can deliver custom ordered units almost as quickly as our prebuilt units. If this model does not meet your needs, please contact us at 1-800-369-6671 or sales@larsonelectronics.com to discuss your specific requirements.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Frequently Asked Questions (FAQ)

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

IND-AH-UVC-LF-24-WF-WLM-120V

Product ID: 272570

Export Control Classification Number (ECCN): EAR99

Options:

IND-AH-UVC-LF-24-WF-WLM-120V-Cord Cap

Example: IND-AH-UVC-LF-24-WF-WLM-120V-5.15

Cord Cap	
5-15 STRAIGHT	-5.15
L5-15 TWIST	-L5.15
PIGTAIL	-Pigtail

Links (Click on the below items to view):

- **Eye Safety Information/Certificate**
- **Operations Manual**
- **Wiring Diagram (Oneline)**
- **HigResPic1**
- **Video1**
- **Video2**
- **Video3**
- **Video4**
- **ISO 9001 Certification**
- **Business Certificate**
- **Shipping Time Map**