Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

IND-DHA-UVA-18-1L-V1-365NM

15W UVA 365nm Fixture - (1) 365nm Lamp - 1.5-Foot Fixture - L Bracket End Mount - UV Curing Device

Product ID: 274113

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

IND-DHA-UVA-18-1L-V1-365NM UVA Curing Device

Unit Type: UVA Curing Device Fixture
Lamp Technology: UVA T8 Fluroescent
Lamp Qty: (1)
Dimensions: 20.5"-L x 7"-W x 8"-H
Weight: -
Voltage: 120 V
Total Watts: 15W
Expected Lifespan: 7,500+ Hours
UV Wavelength: UVA, 365nm Peak (370-350nm Range)
Lamp Type: UVA T8 Fluorescent
Lamp Base: G13
Replacement Lamp: -
Beam Angle: 180°
Lighting Configuration: Flood Pattern
Operating Temperature Range: -
Lamp Lens Material: N/A
Housing: Aluminum
Finish: 2-layer Powder Coated Finish - Grey
Mounting: End Mount L-brackets
Cord: -

Ratings

365nm UVA Light
Ideal for Curing & Non-Destructive Testing
Low Mercury Content
Instant-On Lamp, No Warm Up Time
Low Heat Output

Special Orders - Special Requirements

Contact us for special requirements

Intl: 1-903-270-1187
Toll Free: 1-800-369-6671
Fax: 1-903-498-3364
E-mail: sales@larsonelectronics.com

Buy American Compliant

The IND-DHA-UVA-18-1L-V1-365NM from Larson Electronics is a UVA 365nm Curing Device that is ideal for paint and adhesive curing, food inspection, or for non-destructive testing. This unit uses one 15-watt T8 fluorescent lamp that produces UVA light in the 370-350nm range with a 365nm peak. Protected by a heavy-duty aluminum housing with a 2-layer powder coated grey finish, the UV curing light features end mount L-brackets.

The IND-DHA-UVA-18-1L-V1-365NM UVA curing device is a powerful and sleek lighting solution for curing and non-destructive testing. This 15-watt unit consists of one 15-watt T8 fluorescent lamp that provides UVA light in the 370-350nm range with a 365nm peak. Equipped with an expected lifespan of 7,500+ hours, the light emits a flood beam pattern. The housing on this curing device is constructed of aluminum with a 2-layer powder coated grey finish for durability. This UV curing device offer may benefits to operators. Inks, coatings, adhesives and other materials are dried much faster than traditional drying methods, meaning faster production, greater product output, and a reduction in waste. Curing has also been shown to produce more durable coatings with superior scratch and solvent resistance. Additionally, set up and clean up labor is greatly reduced with this system, as is the amount of space needed. This UV curing unit is also environmentally friendly and does not waste heat, increasing energy savings with no emissions controls needed.

Mounting: This UVA curing fixture contains end mount L-brackets for mounting during installation.

Applications: Paint and adhesive curing, food inspection, or non-destructive testing

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Frequently Asked Questions (FAQ)

IND-DHA-UVA-18-1L-V1-365NM

Product ID: 274113

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- **HigResPic1**
- **Video1**
- **Video4**
- **ISO 9001 Certification**
- **Business Certificate**
- **Shipping Time Map**