Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

EPP-150A-3W4P-PS

150A Explosion Proof Plug - Class I, II, III - 3W4P - NEMA Rated

Product ID: 274908

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

EPP-150A-3W4P-PS Explosion Proof Plug
Listing: NRTL Listed for United States and Canada
Dimensions: 10.5"L x 4.25"OD
Weight: -
Voltage Rating: 600V AC
Amp Rating: 150A
Configuration: 3-wire, 4-pole
Mating Receptacle: EPP-150A-3W4P-CB.LS
Operating Temperature Rating: -
Materials: Copper-free Aluminum
Finish: Epoxy Powder Coating
Mount: -
Cable Diameter: .875-1.906 or 1.09-2.187
Wiring: -

Certifications - Compliance
Class I, Divisions 1&2, Groups C,D
Class II, Divisions 1&2, Groups F,G
Class III
NEMA 3, 3R, 4, 4X, 7 (C,D), 9, (F,G)

Special Orders - Special Requirements
Contact us for special requirements
Toll Free: 1-800-369-6671
Intl: 1-903-270-1187
Fax: 1-903-498-3364
E-mail: sales@larsonelectronics.com

The Larson Electronics EPP-150A-3W4P-PS Explosion Proof Plug facilitates power connections in Class I, II and III rated facilities. This 150-amp unit is rated at 600V AC. The NEMA rated explosion proof male plug is constructed of copper-free aluminum and offers compatibility with the Larson Electronics EPP-150A-3W4P-CB.LS explosion proof receptacle.
The EPP-150A-3W4P-PS is an explosion proof plug for electrical connections in combustible work sites. This power accessory is rated at 600V AC and 150 amps. Compatible with the Larson Electronics EPP-150A-3W4P-CB.LS explosion proof

receptacle, the explosion proof device contains a 3-wire 4-pole configuration.
Cable diameter options include: .875-1.906 OD or 1.09-2.187 OD.
The explosion proof plug is constructed of copper-free aluminum with an epoxy powder coated finish. This NEMA-rated explosion proof device is suitable for use in Class I, II and III work sites (no Group B).
Inter-Compatibility: These plugs are are cross-interchangeable with specific plugs and will work with the corresponding receptacles. Due to possible manufacturer changes we cannot guarantee interchangeability although we have made every effort to ensure cross compatibility correctness.
Suggested Applications: Manufacturing, Industrial, Warehouse, Lighting, Motor-Generator Sets, Compressors, Wet areas or Locations Where Combustible Dust is Present.
At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Frequently Asked Questions (FAQ)



Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364



Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364




CAUTION
Appleton

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

EPP-150A-3W4P-PS

Product ID: 274908

Export Control Classification Number (ECCN): EAR99

Options:

EPP-150A-3W4P-PS-Cable Diameter

Example: EPP-150A-3W4P-PS-S1

Cable Diameter	
.875-1.906 OD	-S1
1.09-2.187 OD	-S2

Links (Click on the below items to view):

- **HigResPic1**
- **HigResPic2**
- **HigResPic3**
- **HigResPic4**
- **HigResPic5**
- **HigResPic6**
- **ISO 9001 Certification**
- **Business Certificate**
- **Shipping Time Map**