Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

EXC-24-GFCI-30A-120V-1X

2' Inline GFCI Outlet - 30 Amps, 120V - NEMA L5-30P Plug & NEMA L5-30C Connector - N4X/N6P

Product ID: 276073

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

EXC-24-GFCI-30A-120V-1X - 2' GFCI Protected Cord

Unit Type: Inline GFCI Outlet
Dimensions: -
Weight: -
Voltage: 120V
Phase: 1-phase
Frequency: 60 Hz
Max Amp Rating: 30A
Trip Level: 5 +/- 1 mA
Response Time: 25mS
Reset Type: Auto or Manual
Status: Indicator Lights
Operating Temp: -35°C to 66°C
Materials: -
Cord Length: 2'
Cord Cap: 30A NEMA L5-30P [125V]
Connector: 30A NEMA L5-30C [125V]

Features/Ratings

Class A
NEMA 4X/6P
Wet Location Rated
Chemical/UV Resistant
Indoor or Outdoor Locations

Special Orders - Special Requirements

Contact us for special requirements

Intl: 1-903-270-1187
Toll Free: 1-800-369-6671
Fax: 1-903-498-3364
E-mail: sales@larsonelectronics.com

Made in the USA

The EXC-24-GFCI-30A-120V-1X from Larson Electronics is an Inline GFCI Outlet that is designed for heavy-duty and industrial applications. This rugged extension cord is equipped with a NEMA L5-30P male cord cap, an

inline GFCI and a NEMA L5-30C female connector. The wet location rated device allows operators to provide ground fault protection for single-phase 120V equipment.

The EXC-24-GFCI-30A-120V-1X provides a safe and effective way for operators to power a variety of general use devices in industrial sites. Compatible with single-phase 120V AC 60Hz, this unit can be used in indoor or outdoor areas. The 2` of chemical and UV resistant cord is terminated in a male NEMA L5-30P, 30 amp rated cord cap. An inline GFCI and female NEMA L5-30C connector provides ground fault protection for receptacles that do not have GFCI protection. This device features a 5 +/- 1 mA trip level with 25 mS response time.

Suggested Applications: This GFCI protected linecord system is ideal for indoor or outdoor use and applications including but not limited to aircraft maintenance, alcohol processing, aerospace, chemical manufacturing, coke processing, cold storage, compressed natural gas (CNG) facilities, cranes, cryogenics, distilleries, food processing, fuel storage, gas processing plants, grain processing, laboratories, liquefied natural gas (LNG) facilities, liquid propane gas (LPG), manufacturing, marine vessels, methane production, mining, offshore, oil drilling rigs, oil refineries, paint spray booths, paper processing, petrochemical, pharmaceuticals, power plants, production refineries, sand blast cabinets, sewage and septic tanks, shipyards, solvent and cleaning areas, storage facilities, tank farms, tankers, textile, washdown areas, waste treatment plants, and woodworking. We also offer class rated extension cords for use within explosion proof and hazardous location environments without hot work permits.

Larson Electronics is a manufacturer and as such can build extension cords and portable transformer systems to your specifications. Although we carry several models of power distribution transformers, we can deliver custom ordered units almost as quickly as our prebuilt units If this model does not meet your needs, please contact us at 1-800-369-6671 or sales@larsonelectronics.com to discuss your specific requirements.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Frequently Asked Questions (FAQ)

EXC-24-GFCI-30A-120V-1X

Product ID: 276073

Export Control Classification Number (ECCN): EAR99

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Links (Click on the below items to view):

- **HigResPic1**
- **ISO 9001 Certification**
- **Business Certificate**
- **Shipping Time Map**