Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

EXC-15-GFCI-3X-15A

15' 12/3 SOOW Linecord with 3 GFCI Protected Outlets - 15 Amp Max Rated - General Area Plug

Product ID: 276988

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

EXC-15-GFCI-3X-15A - 15' GFCI Protected Linecord w/ EXP Plug
Male Cord Cap: 5-15P - Standard Molded Cap
Female Receptacles: (3) 5-15R
Voltage Rating: 120V
Max Amp Rating: 15 A
Cable Type: 12/3 SOOW
Cable Length: 15'
Weight: 13.5 lb

Quick Summary
15A Male Cord Cap

Special Orders - Special Requirements
Contact us for special requirements
Toll Free: 1-800-369-6671
Intl: 1-903-270-1187
Fax: 1-903-498-3364
E-mail: sales@larsonelectronics.com

Made in the USA

The EXC-15-GFCI-3X-15A from Larson Electronics is a 15` 12/3 SOOW Linecord with (3) GFCI Duplex Outlets that is designed for heavy duty and outdoor applications. This rugged three outlet extension cord is constructed of 15` 12-gauge 3-conductor wire, equipped with a 15-amp rated 5-15 male cord cap, inline GFCI, three 5-15R outlets and allows operators to provide ground fault protection.

The EXC-15-GFCI-3X-15A linecord provides a safe and effective way for operators to power a variety of general use devices. 20" of chemical and abrasion resistant flexible 12/3 SOOW cord terminated in a male NEMA 5-15 15 amp rated cord cap. An inline GFCI and three female 5-15R connectors provides ground fault protection from receptacles that do not provide GFCI protection.

Applications: This GFCI protected linecord system is ideal for indoor or outdoor use and applications including but not limited to aircraft maintenance, aerospace,

cold storage, cranes, distilleries, food processing, laboratories, manufacturing, marine vessels, offshore, paper processing, power plants, shipyards, storage facilities, tank farms, tankers, textile, and washdown areas.
Larson Electronics is a manufacturer and as such can build extension cords and portable transformer systems to your specifications. Although we carry several models of power distribution transformers, we can deliver custom ordered units almost as quickly as our prebuilt units If this model does not meet your needs, please contact us at 1-800-369-6671 or sales@larsonelectronics.com to discuss your specific requirements.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Frequently Asked Questions (FAQ)

EXC-15-GFCI-3X-15A

Product ID: 276988

Export Control Classification Number (ECCN): EAR99

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Links (Click on the below items to view):

- **HigResPic1**
- **ISO 9001 Certification**
- **Business Certificate**
- **Shipping Time Map**