Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

XLE-PA-IP20-N.TWL-30A-3PH-480V.277V-3P4W-R

NEMA L22-30R Twist Lock Receptacle - 30 Amps - 480Y/277V Rated - 3P4W

Product ID: 279813

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

XLE-PA-IP20-N.TWL-30A-3PH-480V.277V-3P4W-R Twist Lock Receptacle

Unit Type: Female Receptacle
Dimensions: 1.24"-H x 3.28"-L x 1.70"-W
Weight: -
Voltage Rating: 480Y/277 V AC
Phase: 3PH
Configuration: 3P4W
Amps: 30A
Materials: -
Wire Size: #18 to #8 AWG
Color: Black/White

Larson Electronics manufactures a wide variety of custom power distribution systems. The pictures displayed for this unit are a general representation of form factor and may not accurately represent this exact configuration in every detail due to being custom builds. The specifics for this configuration are listed in the specification table and one-line diagram.

Ratings
L22-30R NEMA Rated
IP20

Special Orders - Special Requirements
Contact us for special requirements

Intl: 1-903-270-1187
Toll Free: 1-800-369-6671
Fax: 1-903-498-3364
E-mail: sales@larsonelectronics.com

All grounding shall comply with state and local codes and meet the minimum requirements of the National Electronic Code section 250

The XLE-PA-IP20-N.TWL-30A-3PH-480V.277V-3P4W-R from Larson Electronics is a NEMA L22-30R Twist Lock Receptacle is designed for industrial facilities. This power accessory is 480Y/277 V rated and takes on a 3-pole 4-wire configuration. Rated at 30-amps, this female receptacle is black and white.

The XLE-PA-IP20-N.TWL-30A-3PH-480V.277V-3P4W-R offers secure power connections in rugged work sites. This female receptacle is three-phase 480Y/277

V rated at 30 amps. Equipped with a 3-pole 4-wire configuration, the NEMA-rated unit accepts #18 to #8 AWG wire sizes.
At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Frequently Asked Questions (FAQ)

XLE-PA-IP20-N.TWL-30A-3PH-480V.277V-3P4W-R

Product ID: 279813

Export Control Classification Number (ECCN): EAR99

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Links (Click on the below items to view):

- **HigResPic1**
- **ISO 9001 Certification**
- **Business Certificate**
- **Shipping Time Map**