Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

EXC-10-12.3-20A-L5.20-WP

10' 12/3 SOOW Weatherproof Extension Power Cord - 20A Continuous Use - L5-20P/L5-20C Twist Lock - Outdoor Rated -

Product ID: 280622

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

EXC-10-12.3-20A-L5.20-WP - Industrial Extension Cord
Male Cord Cap: L5-20P
Female Cord Cap: L5-20C
Voltage Rating: 125 V
Max Amp Rating: 20A Continuous Use
Cable Type: 12/3 SOOW
Cable Length: 10'
Weight: -

Features
Weatherproof

Special Orders - Special Requirements
Contact us for special requirements

Intl: 1-903-270-1187
Toll Free: 1-800-369-6671
Fax: 1-903-498-3364
E-mail: sales@larsonelectronics.com

The EXC-10-12.3-20A-L5.20-WP from Larson Electronics is a 10` Weatherproof 12/3 SOOW Straight Blade Extension Power Cord that is designed for heavy duty and outdoor applications. This rugged extension cord is constructed of 12-gauge 3-conductor wire, equipped with 20-amp rated weatherproof L5-20C/L5-20P male and female twist lock cord caps, and allows operators to extend power to equipment when stationary weatherproof outlets are not readily available.
The EXC-10-12.3-20A-L5.20-WP extension cord provides a safe and effective way for operators to extend 125V and power a variety of devices for plant maintenance, power generators, construction and other temporary applications. This extension cord features 75 feet of chemical and abrasion resistant flexible

12/3 SOOW cable, which is terminated in male and female NEMA L5-20P/L5-20C outdoor approved twist lock cord caps. This unit is 20 amp rated for continuous use.

Applications: This extension cord is ideal for indoor or outdoor use and applications including but not limited to, generators, construction sites, plant maintenance, plant turnarounds, shows, exhibits, industrial equipment, uninterruptible power supplies (UPS battery backups), stage equipment, and shipyard operations. These industrial extensor cords are popularly used in applications where external power sources are often necessary. We also offer class rated extension cords for use within explosion proof and hazardous location environments.

Larson Electronics is a manufacturer and as such can build extension cords and portable transformer systems to your specifications. Although we carry several models of power distribution transformers, we can deliver custom ordered units almost as quickly as our prebuilt units If this model does not meet your needs, please contact us at 1-800-369-6671 or sales@larsonelectronics.com to discuss your specific requirements.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Frequently Asked Questions (FAQ)



Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364





Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364



EXC-10-12.3-20A-L5.20-WP

Product ID: 280622

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- **HigResPic1**
- **HigResPic2**
- **HigResPic3**
- **HigResPic4**
- **HigResPic5**
- **ISO 9001 Certification**
- **Business Certificate**
- **Shipping Time Map**