Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

C-SOOW-14-2

14/2 SOOW Cable - Oil and Water Resistant Jacketed Cord - Per Foot -

Product ID: 281906

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

C-SOOW-14-2 SOOW Cord

AWG Size: 14
Number of Conductors: 2
Stranding: 41/30
Strand Size: 30
Insulation Wall: 0.045" Thickness
Amps: 18
Voltage: 600
Max Temperature: 90°
Conductor Material: Bare Copper
Insulation Material: EPDM
Jacket Material: PVC
Jacket Color: black

Ratings/Approvals

NRTL Certified to UL
MSHA Approved
NRTL Certified to CSA

Special Orders - Special Requirements

Contact us for special requirements
Toll Free: 1-800-369-6671
Intl: 1-903-270-1187
Fax: 1-903-498-3364
E-mail: sales@larsonelectronics.com

Made in the USA

This 14/2 SOOW 3-Connector Cable is 600V rated with an amperage of 18 amps and a temperature range of -40°C to 90°C. This SOOW cord is is resistant to acid, water, abrasion, oils, solvents, weather, sunlight, and ozone, and offers excellent flexibility. This cord is designed for hard use with portable tools, industrial and processing equipment and for indoor and outdoor use in hazardous locations and explosion proof locations. This 12/3 SOOW cord is NRTL Certified to UL, MSHA approved for flame resistance in mining applications, NRTL Certified to CSA and RHS compliant.
Qty 1=1` of cable (specify number of feet when ordering)

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Frequently Asked Questions (FAQ)

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

C-SOOW-14-2

Product ID: 281906

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- **ISO 9001 Certification**
- **Business Certificate**
- **Shipping Time Map**