Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

EXC-75-8.5-30A-L21.30

75' 8/5 SOOW Twist Lock Extension Power Cord - L21-30 - 208Y/120 - 30 Amp Rated - Outdoor Rated

Product ID: 284962

Please see last page for supporting documentation for this product (certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Image: EXC-75-8.5-30A-L21.30

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

EXC-75-8.5-30A-L21.30 - 75` 8/5 SOOW L21-30 30A Extension Cord

Male Cord Cap: L21-30P
Female Cord Cap: L21-30C
Voltage Rating: 208Y/120
Max Amp Rating: 30A
Cable Type: 8/5 SOOW
Cable Length: 75`
Weight

Special Orders - Special Requirements
Contact us for special requirements
Toll Free: 1-800-369-6671
Intl: 1-903-270-1187
E-mail: sales@larsonelectronics.com

Made in the USA

The Larson Electronics EXC-75-8.5-30A-L21.30 75 foot 8/5 SOOW twist lock extension power cord is designed for 208Y/120 3-phase indoor and outdoor applications. This rugged extension cord is constructed of 8-gauge 5-conductor wire, equipped with 30-amp rated L21-30 male and female twist lock cord caps, and allows operators to extend power to equipment when stationary outlets are not readily available.

The EXC-75-8.5-30A-L21.30 twist lock extension cord provides a safe and effective way for

operators to extend 208Y/120 and power a variety of devices for plant maintenance, power generators, transformers, power distribution substations, construction and other temporary applications. 75 feet of chemical and abrasion resistant flexible SOOW cord 8/5 SOOW cable is terminated in male and female NEMA L21-30, 30 amp rated, outdoor approved twist lock cord caps.

Applications:
This twist lock extension cord is ideal for indoor or outdoor use and applications including but not limited to, generators, construction sites, plant maintenance, plant turnarounds, shows, exhibits, industrial equipment, uninterruptible power supplies (UPS battery backups), stage equipment, and shipyard operations. These industrial extension cords are popularly used in applications where external power sources are often necessary. We also offer class rated extension cords for use within explosion proof and hazardous location environments.

Larson Electronics` Larson Electronics is a manufacturer and as such can build extension cords and portable transformer systems to your specifications. Although we carry several models of power distribution transformers, we can deliver custom ordered units almost as quickly as our prebuilt units If this model does not meet your needs, please contact us at 1-800-369-6671 or sales@larsonelectronics.com to discuss your specific requirements.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

Frequently Asked Questions (FAQ)

There are no Faqs

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664



Image: EXC-75-8.5-30A-L21.30

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664



Image: EXC-75-8.5-30A-L21.30

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664



Image: EXC-75-8.5-30A-L21.30

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664



Image: EXC-75-8.5-30A-L21.30

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- **Wiring Diagram**(https://www.larsonelectronics.com/images/product/WiringDiagram/284962.PDF)
- **HigResPic1**(https://www.larsonelectronics.com/images/product/HigResPic1/284962.JPG)
- **HigResPic2**(https://www.larsonelectronics.com/images/product/HigResPic2/284962.JPG)
- **HigResPic3**(https://www.larsonelectronics.com/images/product/HigResPic3/284962.JPG)
- **HigResPic4**(https://www.larsonelectronics.com/images/product/HigResPic4/284962.JPG)
- **HigResPic5**(https://www.larsonelectronics.com/images/product/HigResPic5/284962.JPG)
- **HigResPic6**(https://www.larsonelectronics.com/images/product/HigResPic6/284962.JPG)
- **Video1**(https://www.youtube.com/watch?v=6g2krKmY3LQ)
- **ISO 9001 Certification**(http://larsonelectronics.com/images/pdfdocs/ISO9001.PDF)
- **Business Certificate**(https://www.larsonelectronics.com/images/pdfdocs/w9.PDF)
- **Shipping Time Map**(https://www.larsonelectronics.com/images/product/ShippingTimeMap/ShippingTimeMap.pdf)