

PDU-MDS-DT-3P-240V-200A-N3R

200 Amp Non-fusible Manual AC Disconnect Safety Switch - 240V, 3-pole - N3R

Product ID: 307130

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

PDU-MDS-DT-3P-240V-200A-N3R AC Disconnect Switch

Use: AC Disconnect Switch

Dimensions: 36" x 31" x 36.66"

Weight: 82 lbs

Disconnect Type: Non-Fusible, Double Throw

Voltage Rating: 240V AC

Max Amp Rating: 200 Amps

Poles: 3-pole

Wiring Configuration: 3-Wire

Padlockable: Off Position

Materials: Aluminum, Copper

Mounting Type: Surface

Connections: Mechanical Lugs

Wire Range: #6-250 kcmil (L, L, N); #14-4 AWG (Ground)

Ratings/Features

NEMA 3R Enclosure

Provides Overload Protection to Transformers

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-903-270-1187

Fax: 1-903-498-3364

E-mail: sales@larsonelectronics.com

The PDU-MDS-DT-3P-240V-200A-N3R AC Disconnect Switch from Larson Electronics provides a disconnect means for service entrance and protects operators from overloading a transformer. This 200-amp, non-fusible unit is compatible with 240V AC. Equipped with a 3-pole, 3-wire configuration, the NEMA 3R rated disconnect is padlockable in the Off position.

The PDU-MDS-DT-3P-240V-200A-N3R AC is a double-throw disconnect switch that is rated for 200 amps and features a non-fusible interior. This power distribution accessory has a 3-pole, 3-wire configuration along with a 240V AC voltage rating. Equipped with an external handle for quick make and break switching, The AC disconnect features a highly visible a On/Off label and is padlockable in the Off position. The NEMA 3R rated power distribution accessory is constructed of galvanized steel, aluminum and copper, with an ANSI grey #61 paint finish.

Wiring: The PDU-MDS-DT-3P-240V-200A-N3R provides mechanical lugs for completing wiring connections. Wiring ranges include: #6-250 kcmil (line, load, neutral) and #14-4 AWG (ground). Knockouts can be found at the back and sides for conduit connections.

Mount: The non-fusible disconnect switch can be mounted on surfaces via six openings at the back of the unit.

Applications: Residential and light commercial applications, air conditioning units and any other power distribution systems that require overload breaker protection.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Frequently Asked Questions (FAQ)









Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- [HigResPic1](#)
- [HigResPic2](#)
- [HigResPic3](#)
- [HigResPic4](#)
- [HigResPic5](#)
- [HigResPic6](#)
- [HigResPic7](#)
- [HigResPic8](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)