

MT-R4-ISX-FP-1P-240V-5KVA-208V-N3R

5 kVA Potted Bi-Directional Transformer - 240V Primary Voltage - 208V Secondary Voltage - NEMA 3R

Product ID: 309087

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

MT-R4-ISX-FP-1P-240V-5KVA-208V-N3R Encapsulated Bi-Directional Transformer

Operation: Step-Up Operation (Reverse Feed) or Step Down Operation

Phase: Single Phase

Frequency: 60 Hz

kVA: 5

Primary Voltage: 240V

Taps: TBD

Secondary Voltage: 208V

Winding Material: Copper

Insulation: 180°C

Temperature Rise: 135°C

Terminations: -

Enclosure Material: NEMA Type 3R Heavy Duty - Encapsulated

Finish: ANSI 61 Grey Finish

Dimensions: -

Weight: -

Mounting: Wall or Floor

Ratings

NRTL Listed for United States and Canada

Dry Type

IP14 Rated

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-214-616-6180

E-mail: sales@larsonelectronics.com

The MT-R4-ISX-FP-1P-240V-5KVA-208V-N3R from Larson Electronics is a 240V 1 Phase Energy Efficient Encapsulated Bi-Directional Transformer that is powerful, reliable, and designed with the environment in mind. Suitable for both indoor and outdoor applications, the MT-R4-ISX-FP-1P-240V-5KVA-208V-N3R provides increased reliability and protection

against critical equipment failures. The lower operating costs, lower heat emissions, and lower cost of ownership make this transformer ideal for a wide range of applications and businesses.

****PLEASE NOTE: ANY FREE SHIPPING OFFERS DO NOT APPLY TO POWER DISTRIBUTION PANELS, TRANSFORMERS, OR SUBSTATIONS****

Transformer Features: With a transformer rating of 5 kVA, the MT-R4-ISX-FP-1P-240V-5KVA-208V-N3R transformer is a 60Hz, single phase bi-directional unit with a primary voltage of 240V. It also provides a secondary voltage of 208V.

Featuring robust construction, this unit's cores are manufactured with non-aging, cold-rolled silicon steel laminations using state of the art technology.

This potted unit boasts a low cost of ownership and is highly energy efficient.

Lower heat emissions mean less cooling is needed as well. The Standard Type 3R enclosure makes the unit suitable for both indoor and outdoor applications and it can be either wall or floor mounted. The unit also features 180°C insulation with a 135°C temperature rise and is rated IP14.


Benefits: The MT-R4-ISX-FP-1P-240V-5KVA-208V-N3R general purpose bi-directional transformer offers many benefits to the consumer. Precision cut copper transformer winding material help to improve performance. The close tolerances used during manufacturing also eliminates burrs which hinder performance. Each core is specially coated to prevent the ingress of moisture and are electrically balanced to minimize axial forces during short circuit situations.

This bi-directional transformer provides owners with significant energy savings as well as offering environmental benefits. Higher efficiency not only extends the life of the transformer, but also turn into cost savings for owners in the form of lower energy bills and decreased cost of ownership. Integrated floor and wall mounting brackets make installation fast and easy and the offset outward facing floor installation holes allow for easy power tool access.

Applications: General purposes.

Larson Electronics is a manufacturer and as such can build stationary and portable transformer systems to your specifications. Although we carry several models of power distribution transformer systems, we can deliver custom ordered units almost as quickly as our prebuilt units. If this model does not meet your needs, please contact us at 1-800-369-6671 or sales@larsonelectronics.com to discuss your specific requirements.

Frequently Asked Questions (FAQ)







Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- [Operations Manual](#)
- [HigResPic1](#)
- [HigResPic2](#)
- [HigResPic3](#)
- [HigResPic4](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)