

RNT-LM-16-4X1000W

***RENTAL* 4000 Watt 16 Foot Telescoping Light Mast - Fold Over Light Tower - 360° Rotating Boom - High Mast**

Product ID: 309496

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

This unit is for rentals

RNT-LM-16-4X1000W 4000 Watt Fold Over Light Mast

Lamp Type: Metal Halide

Lamps: (4) 1000 Watt Metal Halide Spots Lamps

Total Watts: 4,000

Total Lumens: 440,000

Mast Length: 10 feet - 16 feet

Weight: +-325 lbs

Capacity: 150 lbs

Materials: Steel

Finish: Powder Coated - Gloss Blue

Operation: (2) 1,000lbs Hand Winches, Electric Optional

Cable: 3/16 Aircraft Cable

Mounting: 1/4" thick, 13"x15" Six Bolt Hole Bracket

Shipping: Common Freight

Shipping Dimensions: 12'-L x 4'-W x 5'-H

Shipping Weight: +-550 lbs

Options: Length- Mounting-Fixtures/ Call Us for Special Requirements

Quick Summary

10 to 16 Foot Light Mast

Steel Construction

Power Coated Finish

Removable Mast Head

125 mph Wind Resistance

Manual or Optional Electric Operation

UL 1572

19" Lamp Reflector w/ Tempered Glass Lens

Finger Latch for Easy Bulb Access

NEMA 3R Remote Ballast Enclosure

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-903-270-1187

Fax: 1-903-498-3364

E-mail: sales@larsonelectronics.com

This unit is for rentals

Made in the USA

The Larson Electronics RNT-LM-16-4X1000W fold over light mast provides a safe and

effective way for operators to quickly deploy 4000 watts of intense lighting to elevations up to sixteen feet. The four 1,000 watt metal halide lamps produce a wide spread of intense white light, allowing this unit to effectively cover large work areas with high quality illumination. This light tower folds over for easy transportation, features a rotating boom that allows for 360° of rotation, and a removable mast head for storing mounted equipment when not in use.

PLEASE NOTE: ANY FREE SHIPPING OFFERS DO NOT APPLY TO LIGHT MASTS OR LIGHT TOWERS

The RNT-LM-16-4X1000W telescoping steel light mast from Larson Electronics' is designed to quickly and safely deploy 4,000 watts of metal halide lighting in locations where elevated illumination is needed for maximum area coverage. This light boom can be extended to 16 feet for maximum area coverage and collapsed to 10 feet for applications where a smaller footprint is required. The tower is constructed of square steel tubing with a lower section 10 feet in length and 4 inches in diameter and an upper section 8 feet in length and 3.5 inches in diameter with 2 foot of overlap. The mast is elevated using an included 1,000 lbs hand winch with 3/16 inch cable and extended to its full height using a second 1,000 lbs winch.



[Click Image to Enlarge](#)



[Click Image to Enlarge](#)



[Click Image to Enlarge](#)

[Click Image to Enlarge](#)

[Click Image to Enlarge](#)

[Click Image to Enlarge](#)

The LM series of towers are powder coated with glossy blue finish for corrosion resistances and aesthetics. These light masts are typically mounted to trailers or other stable surfaces via a 15 inch by 13 inch, 1/4 inch thick mounting base-plate which has been drilled to accept six 3/4 inch anchor bolts. A 36 inch wide and 1/4 inch thick mounting plate is attached to the upper section of the mast which provides a strong and stable platform for the four metal halide fixtures. Included with this light tower are four of our wet area suitable [HID-22-SL-REM](#) metal halide fixtures producing a combined total of approximately 400,000 lumens at 4,000 watts. These lamps have 19" reflectors and are constructed of aluminum with a clear tempered glass lens which is secured into place with a heavy duty gasket and single ring lock. These floodlights produce a wide flood light pattern capable of illuminating approximately 5 acres. Each floodlight is securely fastened to the light boom and each lamp includes a support bracket to help maintain lamp stability within its housing. The lamps are connected to the power source via a water tight male pin connector that attaches to a receptacle located on the end of the telescoping boom.



[Click Image to Enlarge](#)




[Click Image to Enlarge](#)




[Click Image to Enlarge](#)



[Click Image to Enlarge](#)



[Click Image to Enlarge](#)



[Click Image to Enlarge](#)

The LM family of telescoping towers feature a proprietary mast guidance system, which provide increased stability during high winds. When lowered to 10 feet, the mast can withstand winds up to 125 mph. When elevated to its full upright position, the mast can be rotated a full 360°. By loosening the T-Handle, operators can rotate the mast with easy in either direction. The mast can be positioned in one of four different directions, and locked back in place by re-tightening the T-handle. The mast itself spins freely with easy, and can typically be rotated with a single hand.

This light tower weighs approximately 325 lbs, can easily support and lift 150 lbs fixtures. The entire tower assembly is shipped via common freight carrier and when shipped measures approximately 12 feet long, 4 feet wide, 5 feet tall and weighs approximately 550 lbs. Larson Electronics can custom tailor these units to the customer's requirements with longer sections and larger mounting plates. For example, the LM-25 is another model that reaches to a length of 25 feet, with a 15 foot lower section and a 10 foot upper section and a 4 foot wide upper mounting bracket. We also offer a choice of either the manual 1,000 lbs hand winches included standard or optional electric winches.

Suggested Applications: Temporary lighting, construction sites, and security camera deployment. We can equip this mast with 1000W or 1500W Metal Halide lights or a wide variety of high powered LED lights with comparable power, including the [LED10WSA-160](#), [LEDLB-200X2E](#), [LEDLB-160X2E](#) or [LEDLB-80x2E](#). At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Frequently Asked Questions (FAQ)









RNT-LM-16-4X1000W

Product ID: 309496

Export Control Classification Number (ECCN): EAR99

Options:

RNT-LM-16-4X1000W-Finish

Example: RNT-LM-16-4X1000W-GLVD

Finish	
GALVANIZED	-GLVD
POWDER COAT	-PWDC

Links (Click on the below items to view):

- [HigResPic1](#)
- [HigResPic2](#)
- [HigResPic3](#)
- [HigResPic4](#)
- [HigResPic5](#)
- [HigResPic6](#)
- [HigResPic7](#)
- [HigResPic8](#)
- [HigResPic9](#)
- [HigResPic10](#)
- [Video1](#)
- [Video2](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)