

## EPJ-Y-1

### Explosion Proof Capped Elbow - C1D1, 1" Hub - 90 Degrees, Threaded Cover

Product ID: 312784

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

#### EPJ-Y-1 Explosion Proof Capped Elbow

**Listing:** NRTL Listed for United States and Canada

**Dimensions:** 4"H x 3"W x 4"L

**Weight:** 0.6 lb

**Angle:** 90 Degrees

**Materials:** Copper Free Aluminum

**Finish:** Powder Epoxy Paint (Gray)

**Cover Type:** Threaded

**Hub Size:** 1"

#### Features/Ratings

Class I, Division 1 and 2, Groups C, D  
Class II, Division 1 and 2, Groups E, F, G  
Class III

#### Special Orders - Special Requirements

Contact us for special requirements

**Toll Free:** 1-800-369-6671

**Intl:** 1-903-270-1187

**Fax:** 1-903-498-3364

**E-mail:** [sales@larsonelectronics.com](mailto:sales@larsonelectronics.com)

## Made in the USA

**The EPJ-Y-1 from Larson Electronics is a 90-degree Explosion Proof Capped Elbow with a 1" hub, rated for Class I, Class II and Class III hazardous locations and combustible sites.**

This 90-degree capped elbow is Class I, Div. 1 and 2, Groups C, D; Class II, Div. 1 and 2, Groups E, F, G and Class III rated. The copper-free aluminum elbow features a 1" hub and has a threaded cover. It is designed for use with rigid or IMC conduit systems, to change the direction 90 degrees in systems where operators have limited access to pulling conductors or tight spaces for maintenance. The unit has a powder epoxy paint gray finish for durability when exposed to moisture, debris and rugged conditions.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message [sales@larsonelectronics.com](mailto:sales@larsonelectronics.com) for more information about our custom options tailored to meet your specific industry needs.

---

## Frequently Asked Questions (FAQ)

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)