

WAL-RTP-15-BT

15' Portable Equipment Tower - 5.8' Collapsed Height, (3) Stabilizing Legs - Base and Tower Only

Product ID: 313120

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

WAL-RTP-15-BT Portable Equipment Tower

Mast Specs

Tower Length: 5.8' to 15'

Stages: 3

Mast Head Length: 44"

Finish: Powder Coated - Gloss Blue

Operation: (1) 2,500 lb Manual Crank Winch

Mast Cable: 3/16" Galvanized Aircraft Cable

Quick Summary

5.8' to 15' Mast

(3) Adjustable Fold-Out Support Legs

Powder Coated Finish

*Base and Tower Only. Image is a Representation of Product Only.

Special Orders - Special Requirements

Contact us for special requirements

Intl: 1-903-270-1187

Toll Free: 1-800-369-6671

Fax: 1-903-498-3364

E-mail: sales@larsonelectronics.com

The WAL-RTP-15-BT from Larson Electronics is a Portable Security Tower that provides a safe and effective way for operators to quickly deploy equipment to elevations up to 15 feet. This system includes the base and tower only.

PLEASE NOTE: ANY FREE SHIPPING OFFERS DO NOT APPLY TO LIGHT MASTS OR LIGHT TOWERS

The portable mast system has three fold-out support legs for excellent stability while deployed. The WAL-RTP-15-BT can be padlocked for extra security of the unit itself and it can be set up quickly and easily by a single person.

Mast: The telescoping three stage mast is designed to allow operators to quickly

and safely deploy equipment in locations where it must be elevated to heights up to 15' for effective coverage. This mast can be extended to 15' above the ground for maximum area coverage, and collapsed to 5.8' for easy storage and transportation. A 44" wide and 2" by 2" by 1/4" thick mounting plate is attached to the upper section of the mast which provides a strong and stable platform for customer-provided equipment.

The mast is extended to its full height using a manual crank winch with 3/16" galvanized steel cable. Three adjustable support legs can be folded out for increased stability and steady recording. A padlock (not included) can be added by the operator to increase unit security. The entire unit is finished with a glossy blue powder coating for increased durability and corrosion resistance.

Suggested Applications: Events, remote surveillance areas, parking lots, crowd control, equipment monitoring, property security purposes, emergency services support, and more.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Frequently Asked Questions (FAQ)

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- [HigResPic1](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)