

EPL-ATEX-CR-SS.14.4-50FT

50' Explosion Proof Cord Reel - 14/4 SOOW Cord - ATEX Rated, IP65

Product ID: 315313

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

EPL-ATEX-CR-SS.14.4-50FT Flameproof Cord Reel

Unit Type: Explosion Proof Cord Reel

Dimensions: 23" x 15" x 14.13"

Weight: -

Voltage: 600V AC

Amps: 15A

Reel Mechanism: Manual

Materials: Non-sparking

Mounting: Surface Mount

Wiring: 50' 14/4 Cord

Receptacles: -

Ratings/Approvals

NRTL Listed for European and International Locations

Ex db IIC T6 Gb, Ex tb IIC T80' Db

ATEX Rated

IP65

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-903-270-1187

E-mail: sales@larsonelectronics.com

The EPL-ATEX-CR-SS.14.4-50FT from Larson Electronics is an Explosion Proof Cord Reel that is designed for extending electrical connections in combustible work areas. This 15-amp unit offers manual operation.

The EPL-ATEX-CR-SS.14.4-50FT is designed for extending electrical connections in flammable locations and ATEX-rated jobsites. This unit comes with a 50-foot 14/4 SOOW cord for 600V AC power connections. The 15-amp cord reel is made of non-sparking material and compatible with surface mounting installations.

This explosion proof unit carries an IP65 rating for water resistance in rugged environments.

Applications: Combustible work areas, food processing, wash down, medical centers, laboratories, clean rooms, sanitation, semiconductor plants, completing electrical connections, industrial facilities, warehouses, construction, commercial spaces and more.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Frequently Asked Questions (FAQ)

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- [Dimensional Drawing 2D](#)
- [STEP File \(3D CAD Model\)](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)