

MT-MCCB-250A-660V-3P-30KA-PM

250A Molded Case Circuit Breaker - 660V AC, 3-Pole - 30 kA, Panel Mount

Product ID: 319036

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

MT-MCCB-250A-660V-3P-30KA-PM Circuit Breaker

Unit Type: Molded Case Circuit Breaker

Dimensions: 11.42"H x 5.5"W x 5.11"D

Weight: -

Voltage: 660V AC

Rated Current: 250A

No. Of Poles: 3-Poles

Rated Short Circuit Capacity: 30 kA (@ 500VAC), 50 kA (@ 380VAC), 75 kA (@ 220VAC), 50 kA (@ 250VDC)

Frequency (Hz): 50/60 Hz

Trip Curve: -

Trip Type: Thermal-Magnetic Trip

Electrical Endurance: -

Cable Lug Capacity: 4/0 AWG

Maximum Switching Frequency (x/h): -

Protection: Overload, Short Circuit

Ambient Temperature: -

Materials: -

Mount: Panel Mount

Frame: Class 2

Terminal Type: Aluminum, Lugs Line/Load Sides

Tightening Torque: -

Ratings

UL Rated

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-903-270-1187

Fax: 1-903-498-3364

E-mail: sales@larsonelectronics.com

All grounding shall comply with state and local codes and meet the minimum requirements of the National Electronic Code section 250

Made in the USA

The MT-MCCB-250A-660V-3P-30KA-PM from Larson Electronics is a Molded Case Circuit Breaker for circuit protection. This heavy-duty circuit breaker is rated for 660V AC power. Compatible with panel mounting, the unit has a 30 kA short circuit capacity (At 500V AC).

PLEASE NOTE: ANY FREE SHIPPING OFFERS DO NOT APPLY TO POWER DISTRIBUTION PANELS, TRANSFORMERS, OR SUBSTATIONS

The MT-MCCB-250A-660V-3P-30KA-PM molded case circuit breaker provides a safe and reliable method for circuit protection in industrial work areas. The 3-pole circuit breaker is designed for 660V AC 50/60 Hz and feature adjustable thermal electronic trip (60-250A). With 30 kA short circuit capacity, the device is rated for 250 amps. This circuit breaker offers overload and short circuit protection. The circuit breaker has lugs at line and load sides for wiring connections. This

circuit breaker is designed for panel mounting installations.

Applications: The MT-MCCB-250A-660V-3P-30KA-PM is used in power distribution to control and protect lines, transformer and distribution substations, motors, transformers, capacitor banks, etc.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Frequently Asked Questions (FAQ)

Warranty: 12 Months.

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- [Video1](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)