Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

EPJ-EC.AE.EX-CP-RHH-SS-M40

M40 Threaded Recessed Stainless Steel Conduit Plug for Explosion Proof Junction Boxes - ATEX, IEC Ex

Product ID: 319376

Please see last page for supporting documentation for this product (certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Image: EPJ-EC.AE.EX-CP-RHH-SS-M40

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

EPJ-EC.AE.EX-CP-RHH-SS-M40 Recessed Head Conduit Plug

Unit Type: Recessed Head Conduit Plug

Dimensions: 2.00"H x 1.00"L x 2.00"W
Weight: 0.04 lb
Materials: Copper-free Stainless Steel
Finish: Natural
Hub Size: M40
Color: Silver
Temperature Rating: -50°C to +60°C

Ratings

Certified to USA, Canada, European and International Standards
Class I, Divisions 1 & 2, Groups A, B, C, & D
Class I, Zones 1 & 2, Groups IIC, IIB, & IIA
Class II, Divisions 1 & 2 Groups E, F, & G
Class III Division 1 & 2
ATEX II 2 GB EExd IIC
IEC Ex d IIC

Special Orders - Special Requirements

Contact us for special requirements
Toll Free: 1-800-369-6671
Intl: 1-903-270-1187
Fax: 1-903-765-7664
E-mail: sales@larsonelectronics.com

The EPJ-EC.AE.EX-CP-RHH-SS-M40 from Larson Electronics is a Recessed Head Conduit Plug that is rated for use in Class I, Divisions 1 & 2, Groups A, B, C, & D and

Class II, Divisions 1 & 2, Groups E, F, & G, and Class III Divisions 1 & 2 hazardous locations. This NPT threaded closed plug can be used to close up tapped holes or hubs with a size of M40. The external square head allows for easy installation and removal. This unit is certified to North American, Canadian, ATEX, and IEC Ex standards.

The EPJ-EC.AE.EX-CP-RHH-SS-M40 is constructed of copper-free stainless steel with a natural finish. This explosion proof closed plug can close up a M40 threaded hole or hub. The EPJ-EC.AE.EX-CP-RHH-SS-M40 is silver in color.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

Frequently Asked Questions (FAQ)

There are no Faqs

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- **HigResPic1**(https://www.larsonelectronics.com/images/product/HigResPic1/319376.JPG)
- **ISO 9001 Certification**(http://larsonelectronics.com/images/pdfdocs/ISO9001.PDF)
- **Business Certificate**(https://www.larsonelectronics.com/images/pdfdocs/w9.PDF)
- **Shipping Time Map**(https://www.larsonelectronics.com/images/product/ShippingTimeMap/ShippingTimeMap.pdf)