

MT-BAT-UPS-BSM-12V-43AH

12V External UPS Battery - 43 Ah - 205 Watts/Cell

Product ID: 321378

Please see last page for supporting documentation for this product (certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Image: MT-BAT-UPS-BSM-12V-43AH

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

MT--BAT-UPS-BSM-12V-43AH UPS Battery

Unit Type: External battery designed to extend the runtime of the UPS

Dimensions: 5.5"-W x 8.9"-L x 8.1"-H

Weight: 43 lbs

Nominal Voltage: 12V DC

Nominal Ah (8 hr rate to 1.75 Volts/Cell end voltage at 25°C): 43 Ah

Watts/Cell (@ 15 min. to 1.67 Volts/Cell end voltage at 25°C): 205 Watts/Cell

Short Circuit Current: 2775 A

Max. Discharge Current: 503 A

Internal Resistance: 4.5 mΩ

Electrolyte Volume: 0.7 Gallon

Electrolyte Weight: 7.58 lbs

Terminal: M6 Threaded Receptacle

Mounting: Mounted on its Base

All grounding shall comply with state and local codes and meet the minimum requirements of the National Electronic Code section 250

Ratings/Approvals

UL Listed, File No MH16464

CE Certified

ISO Certified

Special Orders - Special Requirements

Contact us for special requirements

Intl: 1-903-270-1187

Toll Free: 1-800-369-6671

Fax: 1-903-498-3364

E-mail: sales@larsonelectronics.com

The MT-BAT-UPS-BSM-12V-43AH is an external 12V battery designed to extend the runtime of the Online double conversion Industrial Uninterruptible Power Supply

(UPS).

The MT-BAT-UPS-BSM-12V-43AH provides external 12V battery designed to extend the runtime of a UPS.

Mounting: The MT-BAT-UPS-BSM-12V-43AH is installed on its base.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.



Frequently Asked Questions (FAQ)

There are no Faqs



Export Control Classification Number (ECCN): EAR99



Links (Click on the below items to view):

- **HigResPic1**(<https://www.larsonelectronics.com/images/product/HigResPic1/321378.JPG>)
- **Video1**(<https://www.youtube.com/watch?v=LCY0u15ez4s>)
- **ISO 9001 Certification**(<http://larsonelectronics.com/images/pdfdocs/ISO9001.PDF>)
- **Business Certificate**(<https://www.larsonelectronics.com/images/pdfdocs/w9.PDF>)
- **Shipping Time Map**(<https://www.larsonelectronics.com/images/product/ShippingTimeMap/ShippingTimeMap.pdf>)