Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

MT-UPS-3P-208V-10KVA-208V-R1-N1-M2

10 KVA Uninterruptible Power Supply - 208V 3PH - 240VDC Battery Bank - Lead Acid - NEMA 1

Product ID: 322075

Please see last page for supporting documentation for this product (certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Image: MT-UPS-3P-208V-10KVA-208V-R1-N1-M2

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

MT-UPS-3P-208V-10KVA-208V-R1-N1-M2 Industrial Battery Backup

Unit Type: Uninterruptible Power Supply
Dimensions: 26" x 17" x 10.35"
Weight: 780 lbs
Input Voltage: 208V AC
Output Voltage: 208V AC
Output Power Capacity: 10 KVA
Output Form: Sinewave
Battery Type: 240VDC Lead Acid Battery Bank (120 Cells per String), Backup time 15 minutes
Battery Current: 48 Amps DC
Remote Management Interface: RS-232, Ethernet
Interface: (1) RS-232 - 9 pin D-Sub (DB-9), (1) Ethernet - RJ-45, (1) EPO
Expansion Slots: SmartSlot
Power Device: Emergency Power Off, Audible Alarm, Built-in Static Bypass, LCD Display, Internal Bypass
Operating Temp: 32°F to 104°F
Operating/Storage Relative Humidity: 0-95%
Sound: 59 dBA
Materials: Steel

Ratings/Approvals

Surge Suppression

Special Orders - Special Requirements

Mount: Floor Mount
Input Connections: Hardwired
Output Connections: Hardwired
Color: White

All grounding shall comply with state and local codes and meet the minimum requirements of the National Electronic Code section 250

Contact us for special requirements
Intl: 1-903-270-1187
Toll Free: 1-800-369-6671
Fax: 1-903-765-7664
E-mail: sales@larsonelectronics.com

The MT-UPS-3P-208V-10KVA-208V-R1-N1-M2 is an Industrial Uninterruptible Power Supply (UPS) for work sites and large facilities. This battery backup unit accepts three-phase 208V AC on the input side and provides three-phase 208V AC on the output side. The system supports a 240VDC battery bank using lead acid batteries and is compatible with floor-mounted installations.

The MT-UPS-3P-208V-10KVA-208V-R1-N1-M2 facilitates battery backup support for customer-provided equipment in work sites. This UPS features 208V AC input and output, rated at 10 KVA. The unit supports a 240VDC lead acid battery system (120 cells per string) and delivers 48 amps DC. Runtime and recharge time depend on the battery configuration used. Standard features include emergency power off, audible alarm, built-in static bypass, LCD display, and internal bypass. The following interface ports are available on the unit: (1) RS-232 - 9 pin D-Sub (DB-9), (1) Ethernet - RJ-45, and (1) EPO. This system is expandable via a SmartSlot.

Wiring: This unit accepts hardwired input and output connections. Specific connector types and cord lengths vary by installation.

Mounting: The MT-UPS-3P-208V-10KVA-208V-R1-N1-M2 is compatible with floor-mounted applications.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Frequently Asked Questions (FAQ)

There are no Faqs

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364



Image: MT-UPS-3P-208V-10KVA-208V-R1-N1-M2

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- **HigResPic1**(https://www.larsonelectronics.com/images/product/HigResPic1/322075.JPG)
- **HigResPic2**(https://www.larsonelectronics.com/images/product/HigResPic2/322075.JPG)
- **Video1**(https://www.youtube.com/watch?v=LCYOu15ez4s)
- **ISO 9001 Certification**(http://larsonelectronics.com/images/pdfdocs/ISO9001.PDF)
- **Business Certificate**(https://www.larsonelectronics.com/images/pdfdocs/w9.PDF)
- **Shipping Time Map**(https://www.larsonelectronics.com/images/product/ShippingTimeMap/ShippingTimeMap.pdf)