

EPJ-CP-RHH-ALU-M16

M16 Threaded Recessed Aluminum Conduit Plug for Explosion Proof Junction Boxes

Product ID: 322292

Please see last page for supporting documentation for this product (certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Image: EPJ-CP-RHH-ALU-M16

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

EPJ-CP-RHH-ALU-M16 Recessed Head Conduit Plug

Unit Type: Recessed Head Conduit Plug

Dimensions: 2.00"H x 1.00"L x 2.00"W

Weight: 0.04 lb

Materials: Copper-free Aluminum

Finish: Natural

Hub Size: M16

Color: Silver

Temperature Rating: -50°C to +60°C

Ratings

Class I, Divisions 1 & 2, Groups A, B, C, & D

Class I, Zones 1 & 2, Groups IIC, IIB, & IIA

Class II, Divisions 1 & 2 Groups E, F, & G

Class III Division 1 & 2

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-903-270-1187

Fax: 1-903-765-7664

E-mail: sales@larsonelectronics.com

The EPJ-CP-RHH-ALU-M16 from Larson Electronics is a Recessed Head Conduit Plug that is rated for use in Class I, Divisions 1 & 2, Groups A, B, C, & D and Class II, Divisions 1 & 2, Groups E, F, & G, and Class III Divisions 1 & 2 hazardous locations. This NPT threaded closed plug can be used to close up tapped holes or hubs with a size of M16. The external square head allows for easy installation and removal.



The EPJ-CP-RHH-ALU-M16 is constructed of copper-free aluminum with a natural finish. This explosion proof closed plug can close up a M16 threaded hole or hub. The EPJ-CP-RHH-ALU-M16 is silver in color.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.



Frequently Asked Questions (FAQ)

There are no Faqs



Image: EPJ-CP-RHH-ALU-M16



Image: EPJ-CP-RHH-ALU-M16



Image: EPJ-CP-RHH-ALU-M16



Image: EPJ-CP-RHH-ALU-M16



Export Control Classification Number (ECCN): EAR99



Links (Click on the below items to view):

- **HigResPic1**(<https://www.larsonelectronics.com/images/product/HigResPic1/322292.JPG>)
- **ISO 9001 Certification**(<http://larsonelectronics.com/images/pdfdocs/ISO9001.PDF>)
- **Business Certificate**(<https://www.larsonelectronics.com/images/pdfdocs/w9.PDF>)
- **Shipping Time Map**(<https://www.larsonelectronics.com/images/product/ShippingTimeMap/ShippingTimeMap.pdf>)