

UTP-W-SYP-C3-45

45' Utility Pole - Class 3 - CCA Treatment, Southern Yellow Pine

Product ID: 322906

Please see last page for supporting documentation for this product (certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Image: UTP-W-SYP-C3-45

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

UTP-W-SYP-C3-45 - 45' Utility Pole

Pole Height: 45'

Weight: -

Capacity: -

Materials: Southern Yellow Pine Wood

Treatment: CCA

Class: 3

Groundline Distance from Butt: -

Minimum Circumference at 6' from Butt: 37.5"

Minimum Circumference at Top: 23"

Mounting: Ground Mount

Frame: -

Shipping: Common Freight

Shipping Dimensions: -

Shipping Weight: -

Options: Length- Mounting-Fixtures/ Call Us for Special Requirements

Quick Summary

45' Wood Pole

Class 3

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-903-270-1187

Fax: 1-903-765-7664

E-mail: sales@larsonelectronics.com

Made in the USA

The Larson Electronics UTP-W-SYP-C3-45 Utility Pole provides a safe and effective way

for operators to elevate equipment up to 45 feet. This Class 3 Southern Yellow Pine wood pole is designed for permanent mount installations. The pole is treated with chromated copper arsenate (CCA) chemical preservative for durability.

PLEASE NOTE: ANY FREE SHIPPING OFFERS DO NOT APPLY TO LIGHT MASTS OR LIGHT TOWERS

The UTP-W-SYP-C3-45 enables secure deployment of equipment for utility applications. The wood pole stands at 45'. The minimum circumference at 6' from butt is 37.5". The minimum circumference at the top of the pole is 23". CCA treatment adds durability during long-term use, preventing deterioration from termites and fungi. This utility pole is rated Class 3.

Suggested Applications: Utilities, lighting, construction sites and security camera deployment.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.



Frequently Asked Questions (FAQ)

There are no Fags



Export Control Classification Number (ECCN): EAR99



Links (Click on the below items to view):

- **HigResPic1**(<https://www.larsonelectronics.com/images/product/HigResPic1/322906.JPG>)
- **Video1**(<https://www.youtube.com/watch?v=wk4BEqRuPww>)
- **Video2**(<https://www.youtube.com/watch?v=e2aJtlkS9WM>)
- **Video3**(<http://www.youtube.com/watch?v=JihBBRtt5G4>)
- **Video4**(<http://www.youtube.com/watch?v=Q0gr6bYmJT8>)
- **Video5**(<https://www.youtube.com/watch?v=lg4S6c1p0M>)
- **ISO 9001 Certification**(<http://larsonelectronics.com/images/pdfdocs/ISO9001.PDF>)
- **Business Certificate**(<https://www.larsonelectronics.com/images/pdfdocs/w9.PDF>)
- **Shipping Time Map**(<https://www.larsonelectronics.com/images/product/ShippingTimeMap/ShippingTimeMap.pdf>)