

IND-SW-PB10-MS-N4X

Industrial Push Button Momentary Switch - NEMA 6P/4 - Weatherproof

Product ID: 323030

Please see last page for supporting documentation for this product (certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Image: IND-SW-PB10-MS-N4X

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

IND-SW-PB10-MS-N4X Industrial Push Button Switch

Unit Type: Push Button Momentary Switch

Internal Dimensions: 8"-H x 8"-W x 4"-D

Weight: -

Voltage: 100-240V AC/DC 50/60 Hz

Rated Amps: 10A (Rated @ 600V AC)

Materials: Plastic Molding Compound and Polycarbonate

Mounting: Surface via (4) Openings

Hub Configurations: Dead End or Feed Through

Hub Size Options: 1/2" or 3/4" NPT hubs

Termination Options: Normally Open or Normally Closed

Color Options (Buttons): Red, Green or Black

Features/Ratings

NEMA 4/6P

Weatherproof

Corrosion Resistant

Marine Applications

Special Orders - Special Requirements

Contact us for special requirements

Intl: 1-903-270-1187

Toll Free: 1-800-369-6671

Fax: 1-903-765-7664

E-mail: sales@larsonelectronics.com

The Larson Electronics IND-SW-PB10-MS-N4X Industrial Push Button Momentary Switch is ideal for controlling motors and devices in rugged work sites. This NEMA 6P/4 rated unit. The weatherproof switch features various hub sizes, as well as termination and color (button) options.

The IND-SW-PB10-MS-N4X heavy-duty switch is designed to operate with 100-240V AC/DC 50/60 Hz and comes with a 10-amp rating (at 600V AC). Color options for the button includes red, green or black.

The industrial switch is constructed of plastic molding compound and polycarbonate. Ideal for both indoor and outdoor use, as well as marine locations, the NEMA 6P/NEMA 4 rated device offers superior corrosion resistance. A NEMA 6P rating ensures protection against solid foreign objects, falling dirt, dust and water (hose directed spray and submersion up to a certain depth). The unit can also resist the negative effects of external ice formation.

Wiring/Mounting: Connections to the switch are facilitated by an internal terminal strip. This unit is offered in dead end or feed through configurations, with 1/2" or 3/4" NPT hubs. Operators may mount the weatherproof unit on surfaces via four mounting holes at every corner of the enclosure.

Applications: Industrial buildings, marine locations, motor control, wood shops, fans, lights and more.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.



Frequently Asked Questions (FAQ)

There are no Fags

IND-SW-PB10-MS-N4X

Product ID: 323030

Export Control Classification Number (ECCN): EAR99

Options:

IND-SW-PB10-MS-N4X-Termination-Contacts-Button Color

Example: IND-SW-PB10-MS-N4X-0.5-DE-NO-RED

Termination	
1/2IN DEAD END	-0.5-DE
3/4IN DEAD END	-0.75-DE
1/2IN FEED THRU	-0.5-FT
3/4IN FEED THRU	-0.75-FT

Contacts	
NORMALLY OPEN	-NO
NORMALLY CLOSED	-NC

Button Color	
RED	-RED
GREEN	-GRN
BLACK	-BLK



Links (Click on the below items to view):

- **HigResPic1**(<https://www.larsonelectronics.com/images/product/HigResPic1/323030.JPG>)
- **Video1**(<https://www.youtube.com/watch?v=LCYOu15ez4s>)
- **ISO 9001 Certification**(<http://larsonelectronics.com/images/pdfdocs/ISO9001.PDF>)
- **Business Certificate**(<https://www.larsonelectronics.com/images/pdfdocs/w9.PDF>)
- **Shipping Time Map**(<https://www.larsonelectronics.com/images/product/ShippingTimeMap/ShippingTimeMap.pdf>)