

GAU-MTR-3P-266.460V-0.37KW-1.68K

0.37 kW Industrial Motor - 266/460V 3PH 60 Hz, 1680 RPM

Product ID: 324191

Please see last page for supporting documentation for this product (certificates, CAD files & drawings, IES files, wiring diagrams, etc).

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

GAU-MTR-3P-266.460V-0.37KW-1.68K General Area Motor

Unit Type: Gear Motor

Dimensions: -

Weight: -

Phase: Three Phase

Voltage: 266/460V AC

Frequency: 60 Hz

Poles: -

Current: -

Output: 0.37 kW

Rotations per Minute: 1680 RPM

Motor Frame: -

FLA Rating: -

Efficiency @ Full Load: -

Power Factor: -

Service Factor: -

Insulation: Class F

Duty Rating: -

Starting Method: -

Electrically Isolated Bearing: -

Bearing Grease Type: -

Operating Temperature Rating: 40°C

Materials: -

Mount: -

Wiring: Flying Leads

Motor Lead Quantity/Wire Size: -

Ratings

TEFC Enclosure

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-903-270-1187

Fax: 1-903-765-7664

E-mail: sales@larsonelectronics.com

The Larson Electronics GAU-MTR-3P-266.460V-0.37KW-1.68K Industrial Motor is recommended for use with heavy machinery and equipment. The 0.37 kW unit is compatible with three-phase 266/460V AC 60 Hz.

The GAU-MTR-3P-266.460V-0.37KW-1.68K is a heavy-duty motor for industrial work sites. This unit operates with three-phase 266/460V AC 60 Hz. Capable of generating 1680 RPM, this motor is protected by a TEFC enclosure.

The gear motor features an operating temperature rating of 40°C. Flying leads are available for completing wiring connections.

Applications: Industrial facilities, pumps, mixers, conveyors, manufacturing, food processing, chemical plants and more.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.



Frequently Asked Questions (FAQ)

There are no Fags



Export Control Classification Number (ECCN): EAR99



Links (Click on the below items to view):

- **ISO 9001 Certification**(<http://larsonelectronics.com/images/pdfdocs/ISO9001.PDF>)
- **Business Certificate**(<https://www.larsonelectronics.com/images/pdfdocs/w9.PDF>)
- **Shipping Time Map**(<https://www.larsonelectronics.com/images/product/ShippingTimeMap/ShippingTimeMap.pdf>)