

EPEXC-SOOW-60-30A

60' Explosion Proof SOOW Cord - 30 Amp Continuous Service

Product ID: 325912

Please see last page for supporting documentation for this product (certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Image: EPEXC-SOOW-60-30A

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

EPEXC-SOOW-60-30A Explosion Proof SOOW Cord

Amp Rating: 30 amp Continuous Service

Dimensions: Cord length-60 Feet

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-903-270-1187

Fax: 1-903-765-7664

E-mail: sales@larsonelectronics.com

**Larson Electronics 30 Amp, Continuous Service, 60' Explosion Proof SOOW Cord
Rated for use with Class 1 Division 1- Groups C & D and Class 2 Division 1 Groups E, F,
& G equipment.**

The Larson Electronics EPEXC-SOOW-60-30A Explosion Proof cord allows operators to safely extend the range of their explosion proof light or equipment cords beyond the boundaries of the hazardous work area. These units are constructed of 60 feet of SOOW explosion proof cord rated at 30 amps of continuous service. The cord is chemical and abrasion resistant, and allows operators to attach to their equipment and extend the range of

their equipment.

Suggested Applications: Manufacturing, Industrial, Warehouse, Lighting, Explosion Proof
Light Fixtures, Grinders, Wet areas or Locations Where Combustible Dust is Present.



Frequently Asked Questions (FAQ)

There are no Fags



Export Control Classification Number (ECCN): EAR99



Links (Click on the below items to view):

- **HigResPic1**(<https://www.larsonelectronics.com/images/product/HigResPic1/325912.JPG>)
- **ISO 9001 Certification**(<http://larsonelectronics.com/images/pdfdocs/ISO9001.PDF>)
- **Business Certificate**(<https://www.larsonelectronics.com/images/pdfdocs/w9.PDF>)
- **Shipping Time Map**(<https://www.larsonelectronics.com/images/product/ShippingTimeMap/ShippingTimeMap.pdf>)