Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

MPD-CM5-NSB.10AB-SR1CV-AZ-TB-M1

1000W Portable Power Distribution Spiderbox, 220V to 125V AC 1PH, 6' 12/3 SOOW Cord w/ 6-20P Plug, Powder Coated Steel w/ Casters, NEMA 3R

Product ID: 326099

Please see last page for supporting documentation for this product (certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Image: MPD-CM5-NSB.10AB-SR1CV-AZ-TB-M1

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

MPD-CM5-NSB.10AB-SR1CV-AZ-TB-M1 Power Distribution

Line-In Cord: 6' #12/3 AWG SOOW Cord [600V]
Line-in Cord Cap: 6-20P NEMA Straight-Blade Plug [250V]

Primary Voltage: 220V AC

Primary Phase: 1-Phase (1PH)
Primary Frequency: 60 Hz (60-cycles)
Primary Panel: N/A
Primary Breaker(s): (1) 10A 2P MCB [250V]
Primary Outlet(s): N/A
Primary Protection: MCB Circuit Breaker
Transformer: 1000 Watts 220V to 0-125VDC Power Supply
Secondary Voltage: 125V AC
Secondary Phase: 1-Phase (1PH)
Secondary Frequency: 60 Hz (60-cycles)
Secondary Panel: N/A
Secondary Breaker(s): N/A
Secondary Outlet(s): N/A – (***Customer Provided***)
Secondary Protection: N/A – (***Customer Provided***)
Form Factor: Blue Powder Coated Portable / Base Stand w/ Polyurethane Swivel Casters
Frame Materials: -

Ratings

Max OCP Primary: 10A @ 220V
Max Secondary Output: 10A @ 125V
NRTL Certified to UL 1640 Portable Power-Distribution Equipment
NEMA 3R Indoor / Outdoor Use
Weatherproof
Made in the USA

Special Orders - Special Requirements

Contact us for special requirements
Intl: 1-214-616-6180
Toll Free: 1-800-369-6671

Dimensions: -
Weight: -
Larson Electronics manufactures a wide variety of custom power distribution systems. The pictures displayed for this unit are a general representation of form factor and may not accurately represent this exact configuration in every detail due to being custom builds. The specifics for this configuration are listed in the specification table and one-line diagram.

Fax: 1-903-765-7664
E-mail: sales@larsonelectronics.com

All grounding shall comply with state and local codes and meet the minimum requirements of the National Electronic Code section 250

Made in Texas

The MPD-CM5-NSB.10AB-SR1CV-AZ-TB-M1 from Larson Electronics is a Portable Power Distribution Spiderbox for rugged and industrial applications. This weatherproof unit converts single-phase 220V electrical current to single-phase 125V AC. A powder coated steel cart provides mobility and seamless deployment in rugged environments.

PLEASE NOTE: ANY FREE SHIPPING OFFERS DO NOT APPLY TO POWER DISTRIBUTION PANELS, TRANSFORMERS, OR SUBSTATIONS*

Operation:

• Primary Voltage: 220V AC 1PH

• Primary Panel: N/A

• Primary Breaker(s): (1) 10A 2P MCB [250V]

• Primary Outlet(s): N/A

• Transformer: 1000 Watts 220V to 0-125VDC Power Supply

• Secondary Voltage: 125V AC 1PH

• Secondary Panel: N/A

• Secondary Breaker(s): N/A

• Secondary Outlet(s): N/A – (***Customer Provided***)

*See specification table at the top of the page for more information about the power distribution system.

Portable Power Distribution Purpose and Use: The MPD-CM5-NSB.10AB-SR1CV-AZ-TB-M1 portable power distribution system gives operators the ability to power their 125V AC equipment. On the primary side, operators connect single-phase 220V line-in power using a 6' #12/3 AWG Type SOOW cord with a 6-20P NEMA straight-blade plug. The power is passed through the 1000 watt transformer and is converted to single-phase 125V AC power.

This weatherproof power distribution unit features overload protection. In the instance of circuit overload, the unit automatically trips the circuit breaker to protect the unit from damage, and operators manually reset the breaker.

A 6' #12/3 AWG Type SOOW cord with a 20-amp 250V 6-20P NEMA straight-blade plug brings single-phase 220V power to the primary side of the system and passes power through

to the transformer. The 1000 watt transformer converts single-phase 220V to 125V AC and passes the current to the secondary side.

Protective Construction: The housing on the MPD-CM5-NSB.10AB-SR1CV-AZ-TB-M1 is constructed from powder coated steel with a NEMA 3R enclosure rating (we offer stainless steel enclosures at an additional cost). The angled base and low center of gravity ensure this unit does not tip over when deployed in the field. The entire unit is powder coated with glossy blue finish for corrosion resistance and aesthetics. The assembly is mounted atop four swivel polyurethane casters, two standard swivel and two locking swivel, aiding in transportation within the job site. A top located adjustable push handle allows operators to guide this unit through the workspace.

Certification: All units are built in accordance to NFPA 70 (National Electric Code) and NRTL certified to UL 1640. All equipment is NEMA 3R rated for indoor and outdoor use and provide a degree of protection against dirt, water, and ice. NEMA 4 and NEMA 4X equipment can be equipped upon request.

Applications: This power distribution system is NEMA 3R rated and ideal for indoor/outdoor use and applications including but not limited to; refeer containers, transportation, refrigerator containers, industrial sites, docks, commercial areas and more.

Larson Electronics is a manufacturer and as such can build portable transformer systems to your specifications. Although we carry several models of power distribution transformers, we can deliver custom ordered units almost as quickly as our prebuilt units. If this model does not meet your needs, please contact us at 1-800-369-6671 or sales@larsonelectronics.com to discuss your specific requirements.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

Frequently Asked Questions (FAQ)

There are no Faqs

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664



Image: MPD-CM5-NSB.10AB-SR1CV-AZ-TB-M1

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664



Image: MPD-CM5-NSB.10AB-SR1CV-AZ-TB-M1

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664



Image: MPD-CM5-NSB.10AB-SR1CV-AZ-TB-M1

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664



Image: MPD-CM5-NSB.10AB-SR1CV-AZ-TB-M1

Export Control Classification Number (ECCN): EAR99

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

Links (Click on the below items to view):

- **ANSI Certificate 1**(https://www.larsonelectronics.com/images/product/ANSICert1/326099.PDF)
- **Canadian CEC Certificate (Commonly referred to as CSA Certificate)**(https://www.larsonelectronics.com/images/product/CECCert/326099.PDF)
- **Catalog Page - Product Series**(https://www.larsonelectronics.com/images/product/CatalogPage/326099.PDF)
- **CE Certificate**(https://www.larsonelectronics.com/images/product/CECert/326099.PDF)
- **Certificate 1, Misc**(https://www.larsonelectronics.com/images/product/Cert1/326099.PDF)
- **Certificate 2, Misc**(https://www.larsonelectronics.com/images/product/Cert2/326099.PDF)
- **Certificate 5, Misc**(https://www.larsonelectronics.com/images/product/Cert5/326099.PDF)
- **MSDS (Material Safety Data Sheet**(https://www.larsonelectronics.com/images/product/Msds/326099.PDF)
- **RoHS Certificate (Restriction of Hazardous Substances)**(https://www.larsonelectronics.com/images/product/RoHSCert/326099.PDF)
- **Single Line Diagram (One-Line Diagram)**(https://www.larsonelectronics.com/images/product/Oneline/326099.PDF)
- **USA NEC Certificate (Commonly referred to as UL Certificate)**(https://www.larsonelectronics.com/images/product/NECCert/326099.PDF)
- **Wiring Diagram**(https://www.larsonelectronics.com/images/product/WiringDiagram/326099.PDF)
- **HigResPic1**(https://www.larsonelectronics.com/images/product/HigResPic1/326099.JPG)
- **HigResPic2**(https://www.larsonelectronics.com/images/product/HigResPic2/326099.JPG)
- **HigResPic3**(https://www.larsonelectronics.com/images/product/HigResPic3/326099.JPG)
- **HigResPic4**(https://www.larsonelectronics.com/images/product/HigResPic4/326099.JPG)
- **HigResPic5**(https://www.larsonelectronics.com/images/product/HigResPic5/326099.JPG)
- **HigResPic6**(https://www.larsonelectronics.com/images/product/HigResPic6/326099.JPG)
- **ISO 9001 Certification**(http://larsonelectronics.com/images/pdfdocs/ISO9001.PDF)
- **Business Certificate**(https://www.larsonelectronics.com/images/pdfdocs/w9.PDF)
- **Shipping Time Map**(https://www.larsonelectronics.com/images/product/ShippingTimeMap/ShippingTimeMap.pdf)