

LC-HUB-1.5IN-TB-RP

Load Center Hub – 1.5 Cable Entry – Type B – Rainproof

Product ID: 330850

Please see last page for supporting documentation for this product (certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Image: LC-HUB-1.5IN-TB-RP

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

LC-HUB-1.5IN-TB-RP Load Center Hub

Listing: UL Listed for United States and Canada

Dimensions: 3.09"H x 4.44"W x 1.14"D

Weight: Approx. 0.8 lbs

Form Factor: Straight

Materials: Die-Cast Aluminum

Finish: Natural Aluminum

Connection Type: Threaded

Hub Size: 1.5"

Cable Entry: 1.5" NPT

Features/Ratings

Rainproof Construction

Outdoor Rated

Indoor / Outdoor Use

Type B Hub

Corrosion Resistant

Weather-Resistant Finish

UL 514B

CSA Standard C22.2 No. 18

Suitable for Load Center Applications

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-903-270-1187

Fax: 1-903-765-7664

E-mail: sales@larsonelectronics.com

Made in the USA

The LC-HUB-1.5IN-TB-RP from Larson Electronics is a rainproof load center hub designed for use with outdoor power distribution panels and load centers. This unit features a 1.5-inch Type B cable entry hub and is intended for secure conduit and cable termination in indoor and outdoor electrical installations.

This load center hub is constructed for weather-resistant performance and is suitable for use in NEMA 3R-rated enclosures when properly installed. The hub features a threaded connection to provide a secure and reliable attachment point for conduit or cable entry through the wall of an enclosure. Designed for general electrical applications, this fitting allows installers to route conductors into load centers and panel enclosures while maintaining protection against rain and moisture.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.



Frequently Asked Questions (FAQ)

There are no Fags



Export Control Classification Number (ECCN): EAR99



Links (Click on the below items to view):

- **HigResPic1**(<https://www.larsonelectronics.com/images/product/HigResPic1/330850.JPG>)
- **ISO 9001 Certification**(<http://larsonelectronics.com/images/pdfdocs/ISO9001.PDF>)
- **Business Certificate**(<https://www.larsonelectronics.com/images/pdfdocs/w9.PDF>)
- **Shipping Time Map**(<https://www.larsonelectronics.com/images/product/ShippingTimeMap/ShippingTimeMap.pdf>)