Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

GAU-WC-EXC-100-2.0-NP-M2

100' 2/0 Single Conductor Welder's Cable - EPDM Rubber Insulation Material - 600V AC - Red

Product ID: 331548

Please see last page for supporting documentation for this product (certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Image: GAU-WC-EXC-100-2.0-NP-M2

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

GAU-WC-EXC-100-2.0-NP-M2 2/0 Single Conductor Welder's Cable

Type: 2/0 Single Conductor Welder's Cable
Length: 100 feet
Voltage: 600V AC
Continuous Flex: Yes
Insulation Material: EPDM Rubber - Red
Operating Temperature Range: -58°F to +221°F
Conductor Size: 2/0 AWG
Cable OD: 0.53"
Armored: Not Armored
Coiled: No
Conductor Material: Copper
Current: 350A; 400A; 200A
Insulation Thickness: 0.08"
Jacket Material: EPDM Rubber
Number of Conductors: 1
Number of Strands: 30
Shape: Round
Shielded: Unshielded
Strain Relief Flange: Yes

Ratings/Approvals

RoHS Compliant
SAE J1127
Ambient Operating Temp: -58°F to +221°F
Superior Flexibility
Resists Sparks, Burns & Abrasions
Ideal for General Welding Applications

Special Orders - Special Requirements

Contact us for special requirements
Toll Free: 1-800-369-6671
Intl: 1-903-270-1187
E-mail: sales@larsonelectronics.com

The GAU-WC-EXC-100-2.0-NP-M2 from Larson Electronics is 100' of 2/0 single conductor welder's cable that features finely stranded wire for superior flexibility compared to traditional power cable and has an insulated jacket that resists abrasions, sparks and burns.

The GAU-WC-EXC-100-2.0-NP-M2 from Larson Electronics is 100 feet of 2/0 single conductor welder's cable that is rated for voltages up to 600V AC. This welder's cable has red EPDM insulation material and has an operating temperature range of -58°F to +221°F.

Suggested Application: General purpose welding.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

Frequently Asked Questions (FAQ)

There are no Faqs

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- **HigResPic1**(https://www.larsonelectronics.com/images/product/HigResPic1/331548.JPG)
- **ISO 9001 Certification**(http://larsonelectronics.com/images/pdfdocs/ISO9001.PDF)
- **Business Certificate**(https://www.larsonelectronics.com/images/pdfdocs/w9.PDF)
- **Shipping Time Map**(https://www.larsonelectronics.com/images/product/ShippingTimeMap/ShippingTimeMap.pdf)