Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

XLE-TDR-18.240VAC.24VDC-1.5A-3.10-BM

Time Delay Relay - 18-240V AC and 24V DC - 1.5A DPDT Output Relay, 3-10 Mins - Base/Bezel Mount

Product ID: 331606

Please see last page for supporting documentation for this product (certificates, CAD files & drawings, IES files, wiring diagrams, etc).

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

XLE-TDR-24.240VAC.24VDC-3.10-BM Time Delay Relay

Unit Type: Multi Range Analog Time Delay Relay
Dimensions: 3.78"H x 1.89"W x 4.37"D
Weight: 1.5 lbs
Voltage: 18-240V AC and 24V DC
Output Relay: DPDT 1.5A
Range: 3-10 Min
Minimum Setting: -
Repeat Accuracy: -
Timing Modes: On Delay, Off, Delay, Interval
Reset Time: -
Ripple: 5% @ 100 Hz
Setting Accuracy: 10% of Range
Indicator: Timing LED
Operating Temperature:-18°C to 60°C
Materials: Molded Plastic Case, DIN Size - 48mm x 96mm
Mounting: Base or Bezel Mounting, 11 pin case plugs into matching socket with 11 screw terminals; pins also accept 0.187 in. push- on connectors.
Wiring: Terminals

Features/Ratings

Dust, Moisture and Impact Resistant

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-903-270-1187

E-mail: sales@larsonelectronics.com

Made in the USA

The XLE-TDR-18.240VAC.24VDC-1.5A-3.10-BM from Larson Electronics is a Time Delay Relay for industrial sites. The device offers analog operation, with a voltage range of 18-240V AC and 24V DC. This relay is compatible with base or bezel mounting installations.

The XLE-TDR-18.240VAC.24VDC-1.5A-3.10-BM is a time delay relay for reliable switching or controlling functions. This unit comes with a 1.5-amp DPDT output relay. Operators can select a 3-10 minute range. Timing LED indicators are available for status monitoring.

This unit is protected by a molded plastic case, which is resistant to dust, moisture and impact.

Terminals are available for equipment connections.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

Frequently Asked Questions (FAQ)

There are no Faqs

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- **ISO 9001 Certification**(http://larsonelectronics.com/images/pdfdocs/ISO9001.PDF)
- **Business Certificate**(https://www.larsonelectronics.com/images/pdfdocs/w9.PDF)
- **Shipping Time Map**(https://www.larsonelectronics.com/images/product/ShippingTimeMap/ShippingTimeMap.pdf)