Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

EPRB-ALU-M63-3

Explosion Proof Conduit Reducer Bushing, M63 to 3" NPT, Aluminum, C1D1, Rigid/IMC Adaptor

Product ID: 332082

Please see last page for supporting documentation for this product (certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Image: EPRB-ALU-M63-3

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

EPRB-ALU-M63-3 Explosion Proof Reducer Bushing

Listing: NRTL Listed for United States, Canada, Europe, Asia
Type: Explosion Proof Conduit Reducer Bushing
Dimensions: 1-1/4" (32mm) - Body Length
Hub Size: M63 Male to 3" NPT Female
Configuration: Male to Female
Material: Aluminum, Copper Free (less than 4/10 of 1%)
Finish: Natural
Color: Silver
Weight: < 1 lb

Ratings

Class I, Divisions 1 & 2, Groups A, B, C, & D
Class I, Zones 1 & 2, Groups IIC, IIB, & IIA
Class II, Divisions 1 & 2, Groups E, F, & G

Special Orders - Special Requirements

Contact us for special requirements
Toll Free: 1-800-369-6671
Intl: 1-903-270-1187
Fax: 1-903-765-7664
E-mail: sales@larsonelectronics.com

The EPRB-ALU-M63-3 from Larson Electronics is an Explosion Proof Conduit Reducer Bushing that is rated for use in Class I, Divisions 1 & 2, Groups A, B, C, & D and Class II, Divisions 1 & 2, Groups E, F, & G hazardous locations. This male to female NPT threaded reducer bushing can be used to reduce the size of a tapped hole or hub.

Features: The EPRB-ALU-M63-3 is constructed from copper free aluminum. This explosion proof reducer bushing reduces an M63 threaded hole or hub to a 3" NPT threaded hole or hub. The EPRB-ALU-M63-3 is silver in color

and features a natural finish. This explosion proof conduit reducer bushing is designed to be used with rigid pipe or IMC conduit. The machined smooth finish interior bushing protects conductors as they are fed through this adapter. The EPRB-ALU-M63-3 is suitable for use in hazardous locations.

Applications: To reduce the trade size NPT of a taped hole or hub. Situations that require an existing tapped hole or hub to be reduced to a smaller size for conduit runs, or attaching a smaller NPT device to an existing larger NPT hub.

Larson Electronics is a manufacturer and as such can build stationary and portable transformer systems to your specifications. Although we carry several models of power distribution transformer systems, we can deliver custom ordered units almost as quickly as our prebuilt units. If this model does not meet your needs, please contact us at 1-800-369-6671 or sales@larsonelectronics.com to discuss your specific requirements.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

Frequently Asked Questions (FAQ)

There are no Faqs

Warranty: 3 Months.

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- **HigResPic1**(https://www.larsonelectronics.com/images/product/HigResPic1/332082.JPG)
- **ISO 9001 Certification**(http://larsonelectronics.com/images/pdfdocs/ISO9001.PDF)
- **Business Certificate**(https://www.larsonelectronics.com/images/pdfdocs/w9.PDF)
- **Shipping Time Map**(https://www.larsonelectronics.com/images/product/ShippingTimeMap/ShippingTimeMap.pdf)