Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

XLE-PA-N.TWL-100A-250V-3P4W-N3R

Shore Power Female Receptacle w/ Fusible Disconnect - 250V AC - 100 Amp Rated - 3-Pole - NEMA 3R - Lockable Telecom Pedestal Enclosure

Product ID: 335484

Please see last page for supporting documentation for this product (certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Image: XLE-PA-N.TWL-100A-250V-3P4W-N3R

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

XLE-PA-N.TWL-100A-250V-3P4W-N3R Receptacle w/ Disconnect Switch

Unit Type: 100A Shore Power Female Receptacle w/ Fusible Disconnect - Telecom Pedestal
Dimensions: Approx. 42" H x 12" W x 12" D (Pedestal Mounted)
Weight: Approx. 65–90 lbs.
Voltage: 250V AC
Phase: Three
Configuration: 3 Pole 4-Wire
Amps: 100A
Switch Type: Fusible Disconnect
Receptacle Type: 100A Shore Power Female Connector (Pin & Sleeve / Marine Type)
Enclosure Type: NEMA 3R (Rainproof, Outdoor Rated)
Mounting: Floor / Rooftop Pedestal Mounted
Height: 42" Pedestal
Type: Fusible
Color: Natural Gray

Features/Ratings

UL Listed
NEC Compliant Installation
Weatherproof Outdoor Design (NEMA 3R)
Corrosion Resistant Enclosure
Fusible Protection (100A Class Fuses)
Suitable for Telecom / Utility / Shore Power Applications

Special Orders - Special Requirements

Contact us for special requirements
Toll Free: 1-800-369-6671
Intl: 1-903-270-1187
Fax: 1-903-765-7664
E-mail: sales@larsonelectronics.com

Made in the USA

The Larson Electronics XLE-PA-N.TWL-100A-250V-3P4W-N3R is a 100A Shore Power Female Receptacle w/ Fusible Disconnect designed for reliable outdoor power distribution in telecom, utility and industrial environments. This 100-amp unit is rated at 250V AC and features a 3-pole 4-wire configuration. The NEMA 3R rated pedestal enclosure includes a fusible disconnect switch and supports safe and convenient shore power connections.

The XLE-PA-N.TWL-100A-250V-3P4W-N3R provides secure power access for telecom sites, service equipment and temporary or permanent installations where durable outdoor enclosures are required. This 3-phase receptacle is rated at 100 amps and is compatible with voltages up to 250V AC. The 3P4W unit includes an integrated fusible disconnect switch mounted within a lockable pedestal enclosure for added protection and operational control.

This shore power receptacle features a lockable enclosure door with padlock provision for enhanced safety and security. The fusible disconnect provides overcurrent protection using 100A class fuses. The weatherproof NEMA 3R enclosure protects against rain, sleet and outdoor environmental conditions. The unit is constructed of heavy-duty corrosion-resistant steel or stainless steel and is suitable for rooftop or ground-mounted pedestal applications.

Applications: Telecom installations, rooftop equipment, service pedestals, marinas, docks, construction sites, utility access points, commercial buildings and industrial facilities.

At Larson Electronics, we do more than meet your power and lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

Frequently Asked Questions (FAQ)

There are no Faqs

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664



Image: XLE-PA-N.TWL-100A-250V-3P4W-N3R

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664



Image: XLE-PA-N.TWL-100A-250V-3P4W-N3R

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664



Image: XLE-PA-N.TWL-100A-250V-3P4W-N3R

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664



Image: XLE-PA-N.TWL-100A-250V-3P4W-N3R

Export Control Classification Number (ECCN): EAR99

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

Links (Click on the below items to view):

- **HigResPic1**(https://www.larsonelectronics.com/images/product/HigResPic1/335484.JPG)
- **HigResPic2**(https://www.larsonelectronics.com/images/product/HigResPic2/335484.JPG)
- **HigResPic3**(https://www.larsonelectronics.com/images/product/HigResPic3/335484.JPG)
- **HigResPic4**(https://www.larsonelectronics.com/images/product/HigResPic4/335484.JPG)
- **HigResPic5**(https://www.larsonelectronics.com/images/product/HigResPic5/335484.JPG)
- **HigResPic6**(https://www.larsonelectronics.com/images/product/HigResPic6/335484.JPG)
- **HigResPic7**(https://www.larsonelectronics.com/images/product/HigResPic7/335484.JPG)
- **HigResPic8**(https://www.larsonelectronics.com/images/product/HigResPic8/335484.JPG)
- **HigResPic9**(https://www.larsonelectronics.com/images/product/HigResPic9/335484.JPG)
- **HigResPic10**(https://www.larsonelectronics.com/images/product/HigResPic10/335484.JPG)
- **ISO 9001 Certification**(http://larsonelectronics.com/images/pdfdocs/ISO9001.PDF)
- **Business Certificate**(https://www.larsonelectronics.com/images/pdfdocs/w9.PDF)
- **Shipping Time Map**(https://www.larsonelectronics.com/images/product/ShippingTimeMap/ShippingTimeMap.pdf)