Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

DPG-15KW-SMDE-1.3P-120.240V-120.208V-50.60HZ-IP23

15 kW / 15.6 kVA Rugged Mobile Power Diesel Generator – 120/240V 1-Phase & 120/208V / 240/416V 3-Phase 50/60 Hz (400 Hz Capable), IP23 – Skid Mount, Military Configuration

Product ID: 335879

Please see last page for supporting documentation for this product (certificates, CAD files & drawings, IES files, wiring diagrams, etc).

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

DPG-15KW-SMDE-1.3P-120.240V-120.208V-50.60HZ-IP23 Rugged Mobile Power Diesel Generator

Engine: Cummins/Onan Military Diesel Engine
Standby Power: 15 kW / 15.6 kVA
Prime Power: 13.5 kW / 14 kVA
Voltage: 120V, 120/240V 1Ø; 120/208V & 240/416V 3Ø AC
Frequency: 50/60 Hz (400 Hz capable)
Frequency Regulation: Isochronous
Engine Displacement: ~1.0–1.5L
Engine Type: Naturally Aspirated, Liquid Cooled
Engine Cylinder: 2-3
Engine Speed: 1500/1800 RPM
Governor: ISO 8528
Fuel Consumption at 75% Load: 4.0–4.7 L/hr
Tank Capacity: 25–35 L
Power Factor: 0.8
Fuel Type: Multi-Fuel (JP-8, Diesel, JP-4)
Bore x Stroke: 80 x 90 mm
Maximum Standby Power: 16–17 kW (peak)
Compression Ratio: 20:1
Rotation: Counter Clockwise
Alternator Design: Brushless, Revolving Field
Stator: 2/3 Pitch
Rotor: Single Bearing, Flexible Disc
Load Insulation: Class H
Controller: Advanced Digital Control System (ADCS)
Controller Safety: Low Oil Pressure, High Temperature, Overspeed, Over/Under Voltage, Overload, Fail to Start
Enclosure Material: Heavy-Duty Steel, Powder-Coated (Military Green)
Enclosure Doors: Lockable, Gasketed Panels
Enclosure Type: Weather-Resistant / Tactical
Mount: Skid Mount with Forklift Pockets and Lifting Eyes
Dimensions: 65" x 36" x 53"
Weight: 1550 lbs (≈703 kg)

Ratings/Approvals

Class H Insulation
IP23

Special Orders - Special Requirements

Contact us for special requirements

Intl: 1-903-270-1187
Toll Free: 1-800-369-6671
Fax: 1-903-765-7664
E-mail: sales@larsonelectronics.com

Made in the USA

The Larson Electronics DPG-15KW-SMDE-1.3P-120.240V-120.208V-50.60HZ-IP23 Rugged Mobile Power Diesel Generator is a military-grade, multi-fuel power unit designed for demanding field operations and tactical environments. Powered by a heavy-duty diesel engine, this system supports multi-voltage single-phase and three-phase output, including 120/240V 1-phase and 120/208V or 240/416V 3-phase AC at 50/60 Hz (with 400 Hz capability). An advanced digital control system allows operators to monitor performance, load conditions and system diagnostics in real-time.

Features: The DPG-15KW-SMDE-1.3P-120.240V-120.208V-50.60HZ-IP23 is engineered for rugged mobile power applications requiring reliability in extreme environments. On standby, the unit generates 15 kW / 15.6 kVA. Designed to military standards, this generator supports multi-fuel operation (JP-8, diesel, JP-4) and delivers stable, high-quality power for mission-critical equipment. The system features a brushless alternator and Advanced Digital Control System (ADCS) for precise regulation, diagnostics and automatic paralleling capability. Fuel consumption is approximately 4.0–4.7 L/hr at full load.

The generator is enclosed in a weather-resistant, military-grade housing finished in tactical green. Skid pockets and integrated lifting points allow for efficient transport and rapid deployment in field conditions.

Applications: This rugged mobile generator is ideal for military bases, forward operating locations, disaster response, construction sites and remote industrial operations. It is suitable for powering communication systems, command units, tools and other critical equipment where reliable power is essential.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

Frequently Asked Questions (FAQ)

There are no Faqs

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- **ISO 9001 Certification**(http://larsonelectronics.com/images/pdfdocs/ISO9001.PDF)
- **Business Certificate**(https://www.larsonelectronics.com/images/pdfdocs/w9.PDF)
- **Shipping Time Map**(https://www.larsonelectronics.com/images/product/ShippingTimeMap/ShippingTimeMap.pdf)