Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

Product ID: 339026

Please see last page for supporting documentation for this product (certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Image:

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

XLE-EE-TB-3P-600V-100A-6AWG-ST Terminal Block
Channel Size: 35mm/GH
Dimensions: 2.34" H x 1.17" W x 3.32" D
Material: Nylon
Pieces Per Foot: 10
Voltage: 600V AC
Amps: 100
Number of Connections: 2
Number of Poles: 3P+N
Operational Temp Range: -4° C to +135° C
End Barrier: 5B373
Connection Type: Screw Clamp
Terminal Type: Solderless Box Lug
Mounting Type: DIN
Max Wire Size: 250 KCMIL
Min. Wire Size: 6 AWG

Ratings/Features
UL94V2

Special Orders - Special Requirements
Contact us for special requirements
Fax: 1-903-765-7664
Toll Free: 1-800-369-6671
Intl: 1-903-270-1187
E-mail: sales@larsonelectronics.com

Made in the USA

The XLE-EE-TB-3P-600V-100A-6AWG-ST is a 100 amp rated terminal block. This 600V terminal block is a solderless box lug with two connection, three pole and neutrl and meets UL94V2 standards. The terminal block is constructed of nylon and has a 5B373

end barrier, maximum wire size of 250 KCMIL and minimum wire size of 6 AWG, and a 35mm/GH channel size. The XLE-EE-TB-3P-600V-100A-6AWG-ST is 2.34” high, 1.17” wide by 3.32” in depth and operates at a temperature range of -4° C to +135° C. 10 pieces per foot.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

Frequently Asked Questions (FAQ)

There are no Faqs

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

Product ID: 339026

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- **HigResPic1**(https://www.larsonelectronics.com//images/product/HigResPic1/339026.JPG)
- **ISO 9001 Certification**(http://larsonelectronics.com/images/pdfdocs/ISO9001.PDF)
- **Business Certificate**(https://www.larsonelectronics.com/images/pdfdocs/w9.PDF)
- **Shipping Time Map**(https://www.larsonelectronics.com/images/product/ShippingTimeMap/ShippingTimeMap.pdf)