Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

CON-CP-PVC-S40-2IN

# 2" PVC Conduit Coupling - Schedule 40 - Gray

Product ID: 339263

**Please see last page for supporting documentation for this product (certificates, CAD files & drawings, IES files, wiring diagrams, etc).**

**Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.**

•

| Specification | Details |
|---|---|
| **Trade Size** | 2" |
| **Product Type** | PVC Conduit Coupling |
| **Conduit Type** | PVC Electrical Conduit |
| **Schedule** | 40 |
| **Material** | Polyvinyl Chloride (PVC) |
| **Color** | Gray |
| **Connection Type** | Slip x Slip (Solvent Weld) |
| **Installation** | Joins two sections of Schedule 40 PVC conduit using PVC solvent cement |
| **Application** | Electrical raceway systems |
| **Voltage Rating** | Suitable for electrical raceway applications |
| **Indoor/Outdoor Rated** | Yes |
| **Compatible Installation** | Above Ground, Underground, Concrete Encased, Direct Burial |
| **Features** | Non-Conductive, Corrosion Resistant, Moisture Resistant, Chemical Resistant, UV Resistant, Lightweight, Impact Resistant |

The **2" PVC Conduit Coupling** is designed to securely join two sections of **2-inch Schedule 40 PVC conduit** in electrical raceway systems. Constructed from durable gray PVC, this coupling provides corrosion resistance, electrical insulation, and reliable performance for indoor and outdoor installations. It is suitable for concrete encasement, direct burial, and exposed applications when used with compatible PVC conduit systems.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

# Frequently Asked Questions (FAQ)

There are no Faqs

**Export Control Classification Number (ECCN):** EAR99

Links (Click on the below items to view):

- **ISO 9001 Certification**( http://larsonelectronics.com/images/pdfdocs/ISO9001.PDF )
- **Business Certificate**( https://www.larsonelectronics.com/images/pdfdocs/w9.PDF )
- **Shipping Time Map**( https://www.larsonelectronics.com/images/product/ShippingTimeMap/ShippingTimeMap.pdf )