

IND-PVC-4IN-SCH40

4" PVC Pipe - Schedule 40, White, Per Meter

Product ID: 342062

Please see last page for supporting documentation for this product (certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Image: IND-PVC-4IN-SCH40

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

IND-PVC-4IN-SCH40 PVC Electrical Conduit

Unit Type: PVC Conduit – Schedule 40

Dimensions: 4" nominal diameter

Weight: -

Radius: -

Wall Thickness: 0.237"

Trade Size: 4"

Outside Diameter: 4.500"

Inside Diameter: 4.026"

Conduit Type: PVC

Material: Polyvinyl Chloride (PVC)

Finish: White

Connection Type: Solvent-Weld

Temperature Rating: 140°F (60°C)

Approvals/Ratings

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-903-270-1187

Fax: 1-903-765-7664

E-mail: sales@larsonelectronics.com

The Larson Electronics IND-PVC-4IN-SCH40 PVC pipe provides a durable, corrosion-resistant solution for routing and protecting electrical wiring and cables. Constructed of white Schedule 40 polyvinyl chloride (PVC), this 4" conduit is designed for solvent-weld connections and provides reliable performance in a wide range of electrical raceway

applications.

The IND-PVC-4IN-SCH40 is intended for use with 4" Schedule 40 PVC electrical conduit systems in above-ground, underground, concrete-encased, and direct-burial installations, where permitted by applicable codes. Its smooth interior facilitates easy wire pulling, while the non-conductive, moisture-resistant, and chemical-resistant PVC construction provides long-lasting durability in demanding environments.

Applications: Electrical raceway systems, industrial facilities, commercial buildings, residential installations, underground conduit runs, concrete-encased conduit systems, direct burial, utility projects, and general electrical conduit routing.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.



Frequently Asked Questions (FAQ)

There are no Fags



Export Control Classification Number (ECCN): EAR99



Links (Click on the below items to view):

- **HigResPic1**(<https://www.larsonelectronics.com/images/product/HigResPic1/342062.JPG>)
- **ISO 9001 Certification**(<http://larsonelectronics.com/images/pdfdocs/ISO9001.PDF>)
- **Business Certificate**(<https://www.larsonelectronics.com/images/pdfdocs/w9.PDF>)
- **Shipping Time Map**(<https://www.larsonelectronics.com/images/product/ShippingTimeMap/ShippingTimeMap.pdf>)