Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

Product ID: 342122

Please see last page for supporting documentation for this product (certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Image:

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

MPD-DS-WM-FDS-3P-3W-5KV-200A-DF-BM-N1 Fused Disconnect Switch
Unit Type: Fused Disconnect Switch

Made in the USA

Configuration: 3-Phase, 3-Wire
Voltage: 4160V AC (5kV Insulation Class)
Amperage: 200A
Disconnect Means: Manual via Handle
Line-In Connections: Terminal Lugs
Line-In Orientation: Bottom Feed
Line-Out Connections: Terminal Lugs
Line-Out Orientation: Bottom Feed

Features of Every Assembly
Dead-Front Construction with Lockable Door
Manual Operating Handle

Ratings & Approvals
UL Listed for Service Entrance Equipment
NEMA Certified for Performance and Safety Standards
NEMA 1 Rated for Indoor Use

Protection Package
Fused Disconnect, Fuse Ampacity Sized to 200A Switch Rating

Construction
Enclosure Material: Sheet Steel
Enclosure Type: NEMA 1
Mount: Wall Mount

Dimensions & Shipping
Overall Dimensions: 36"W × 52"H × 24"D (estimated)
Approximate Weight: 800 lbs (estimated)
Shipping Dimensions: TBD
Shipping Weight: TBD

Shipping
Shipped on pallet or skid
Crated shipment available upon request
Final shipping configuration subject to approved design

Special Orders – Special Requirements
Contact us for special requirements
Toll Free: 1-800-369-6671
Intl: 1-903-270-1187
Fax: 1-903-765-7664
E-mail: sales@larsonelectronics.com

Customer Compliance
Final arrangements, sizes, ratings, settings, configuration, and installation details will be finalized during detailed engineering review and customer approval prior to release for manufacture.

Larson Electronics manufactures a wide variety of custom power distribution systems. The pictures displayed for this unit are a general representation of form factor and may not accurately represent this exact configuration in every detail due to being custom builds. The specifics for this configuration are listed in the specification table and applicable drawings.

Made in the USA

The MPD-DS-WM-FDS-3P-3W-5KV-200A-DF-BM-N1 from Larson Electronics is a Fused Disconnect Switch designed for reliable, safe, and convenient medium voltage power distribution at industrial and commercial facilities. This 200-amp, 4160V rated disconnect provides dependable manual disconnection and overcurrent protection. Designed for wall-mounted installations, the switch is housed in a NEMA 1 rated steel enclosure.

PLEASE NOTE: ANY FREE SHIPPING OFFERS DO NOT APPLY TO POWER DISTRIBUTION PANELS, TRANSFORMERS, OR SUBSTATIONS*

The **MPD-DS-WM-FDS-3P-3W-5KV-200A-DF-BM-N1** provides a safe and reliable means of medium voltage disconnection. Compatible with 4160V AC, 3-phase, 3-wire service, this switch is rated 200A and features dead-front construction with a manually operated, lockable handle.

Operation
The dead-front disconnect switch features a lockable door providing access to a permanently attached manual operating handle, used for connecting or disconnecting power.

Protection Package
The switch incorporates a fused disconnect protection scheme, with fuse ampacity sized to the 200A switch rating.

Enclosure Design
The switch is protected by a sheet steel enclosure rated NEMA 1 for indoor use.

Certification
This disconnect switch is UL listed for service entrance equipment and NEMA certified for performance and safety standards.

Mount
Operators can mount the switch on walls.

Special Features

Manual Operation, Dead-Front Construction, Lockable Handle

Ratings & Approvals
UL Listed for Service Entrance Equipment, NEMA Certified for Performance and Safety Standards, NEMA 1 Rated for Indoor Use

Customer Compliance
The final arrangements, sizes, ratings, settings, configuration, and installation details of this equipment will be established in accordance with detailed engineering review, applicable project documentation, and customer approval prior to manufacture.

Applications
Suitable for medium voltage power distribution, industrial and commercial facilities requiring manual disconnecting means.

Larson Electronics manufactures a wide variety of custom power distribution systems. The pictures displayed for this unit are a general representation of form factor and may not accurately represent this exact configuration in every detail due to being custom builds. The specifics for this configuration are listed in the specification table and applicable drawings.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

Frequently Asked Questions (FAQ)

There are no Faqs

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664




Image:

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664




Image:



Image:

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664



Image:

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

Product ID: 342122

Export Control Classification Number (ECCN): EAR99

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

Links (Click on the below items to view):

- **HigResPic1**(https://www.larsonelectronics.com//images/product/HigResPic1/342122.JPG)
- **HigResPic2**(https://www.larsonelectronics.com//images/product/HigResPic2/342122.JPG)
- **HigResPic3**(https://www.larsonelectronics.com//images/product/HigResPic3/342122.JPG)
- **HigResPic4**(https://www.larsonelectronics.com//images/product/HigResPic4/342122.JPG)
- **HigResPic5**(https://www.larsonelectronics.com//images/product/HigResPic5/342122.JPG)
- **Video1**(https://www.youtube.com/watch?v=aOJY5E9e33I)
- **ISO 9001 Certification**(http://larsonelectronics.com/images/pdfdocs/ISO9001.PDF)
- **Business Certificate**(https://www.larsonelectronics.com/images/pdfdocs/w9.PDF)
- **Shipping Time Map**(https://www.larsonelectronics.com/images/product/ShippingTimeMap/ShippingTimeMap.pdf)