

Golight Radioray GL-7950 Portable Remote Control Spotlight with Shoe Base GL-7950



GL-7950 Golight Stryker

Lamp Type: 65 Watt Halogen Bulb

Dimensions: 6" W x 6" Depth x 8" H

Weight: 5 Lbs

Total Watts: 65 watts

Voltage: 12V DC

Lighting Configuration: Spotlight

Amps: 5.5 Amps

Mounting: Permanent Mounted Shoe and a Suction Cup Base

Total Lumens: 1,300

Lamp Color Temperature: 6000 Kelvin

Weather Rating: Weatherproof

Movement Range: 135° Tilt - 370° Rotation

Remote Control: Single Wireless, Handheld Radio Control. 433 MHz

Warranty: 3 Years

Summary/Certifications

65 Watt, 1,300 Lumen

Remote Control, 100` Range

Meets Marine Standards for Fresh / Saltwater Use.

UV and Weatherproof

12 VDC Operation

Special Orders- Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-903-498-3363

E-mail: sales@larsonelectronics.com

3 Year Limited Warranty

The GL-7950 Golight Radioray from Larson Electronics is a 65 Watt motorized spotlight that operates with a handheld wireless remote control. This particular model is available in black and is permanently mounted. It produces a wide spot beam with an effective working beam of 700 feet and has a 5 million candlpower rating.

The GL-7950 Golight Radioray is designed for use in all weather conditions and produces 1,300 lumens of intense light output. These units feature remote control operation that allows users to rotate the light 370 degrees with a hard stop and to adjust vertical tilt through 135 degrees. Remote operation is provided by one handheld wireless remote controller that operates over a radio frequency of 433 MHz. This remote includes an internal 12 volt battery rated at 1 year of operation and a single red LED to indicate remote control activity. The remote controller has a range of up to 100 feet and will operate through walls, within structures, and in vehicles. The remote is constructed of polycarbonate with rubber push pad buttons for weatherproof durability and can be user programmed to operate one or several lights simultaneously. Remotes are 3 inches long by 2 inches wide by 3/8 inch thick.

Remote Operation: Remote control functions include on/off, and 4 buttons which control up, down, left and right movement. The light will continue movement as

long as the buttons are pressed. Releasing the buttons stops movement and holds the Golight in position. A fast and slow mode button (turtle/hare) controls the speed of the motor while the pan and tilt function buttons are depressed. Holding the button for 12 seconds in fast mode results in a full 370 degree rotation, and 8 seconds for full tilt. Slow mode is used for pinpoint accuracy at distance and is approximately 35 seconds for full rotation and 20 seconds for one full range of tilt.

Durability: The GL-7950 Golight Radioray is designed for hunting and demanding outdoor use with a weather resistant housing constructed of high quality ASA Luran thermoplastic that is heat resistant, impact resistant, UV resistant and able to withstand rugged use and abusive conditions. This particular Golight is black in color, making it ideal for docks and buildings where an attractive appearance is desired. Remote movement of this spotlight is provided by an automotive grade internal motor, gear, and transmission assembly that is constructed of LEXAN, brass, and stainless steel to provide rust and corrosion resistance as well as long life and reliable operation.

Mounting: The light has a suction cup mount base and a removeable permanent shoe base. The light slides on and off of the base of the light. When the shoe is installed, a spring loaded button pops up locking the light into the base. The shoe base completely encapsulates the suction cup base. When the base is removed, the light can be mounted using the suction cup and the locking lever on the side to activate suction mount. The suction cup is not suitable for moving vehicles, boats, etc.

Power: This light operates with 12 volts DC and draws 3 amps, making it ideal for vehicles, boats, ATVs, and similar sources of 12 volt direct current. On this particular model, the light has a 16 foot cord that ends in a cigarette plug.

Light Output: The lamp in this Golight Radioray is a 65 watt Halogen Cr5 Pentabeam II bulb which produces 1,300 lumens. This bulb is paired with a tight focus spot beam optics to produce a spot beam 700 feet in length. This lamp has a 6000K color temperature, giving it very good color rendering and contrasting properties and the ability to clearly and sharply illuminate objects at long distances. This beam is effective to the far end of its reach, producing enough illumination to read a book at 700 feet.

This high power Golight Radioray is ideal for hunting, security, boating, law enforcement, emergency services, utilities, and anywhere high power and remote control functionality are desired.

Golight Radioray Features

1. Weather Proof Lamp and Remote Control
2. Remote Control Programmable with More than 60,000 Possible Channels. Remotes Can be Programmed to Control One Golight or Several
3. R.F. Frequency, F.C.C., S.A.E. tested and Canada Certified
4. Remote Control Range up to 100 Feet
5. Automotive Grade 12 Volt D.C. High Torque Motor
6. Weatherproof Connectors Meet OEM Vehicle Manufacturer Specifications
7. Meets Marine Standards for Fresh Water and Saltwater Use
8. 1,300 Lumens, 700 Foot Beam Length
9. 12 Volt DC 5.5 amps Draw

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671



www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Links (Click on the below items to view):

- [DimensionalDrawing](#)
- [large](#)
- [Manual](#)
- [medium](#)
- [SpecSheet](#)
- [SpecSheetSpanish](#)
- [Video1](#)
- [Video2](#)
- [Video3](#)
- [Video4](#)