

RCL360-RF-SB

Replacement Bulb for RCL360 Halogen Series

Product ID: 45337

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

Replacement Halogen 100 Watt Bulb for the RCL360 Series, works with both flood or spot configuration. Note that this product **CANNOT** be used on the RCL360-HID counterparts.

Flood light: 50,000 candlepower rating

Spotlight: 360,000 industrial candlepower rating (4.5 million retail candlepower rating).



Frequently Asked Questions (FAQ)

RCL360-RF-SB

Product ID: 45337

Export Control Classification Number (ECCN): EAR99

Options:

RCL360-RF-SB-Beam Config

Example: RCL360-RF-SB-SP

Beam Config	
SPOT	-SP
FLOOD	-FL
SPOT/FLOOD COMBO	-SpFI

Links (Click on the below items to view):

- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)