

LIBP22

Rechargeable Lithium Ion Battery Pack

Product ID: 46367

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

Rechargeable Battery Pack can be used to power any light with a 2-pin deutsch connection. The rechargeable battery pack is portable and light weight. The portable battery can be turned on and off by pressing a rocker switch. The battery pack is wrapped in a rubberized polycarbonate casing which promotes durability and comfort.

The battery pack comes with a wall plug AC charger to charge the internal lithium ion battery with a rating of 2.2amp hours. Run time on the rechargeable L-ion battery pack is about 3.5 hours for the LED 10W-1S series of LED lights.

Dimension: 1.5" x 2.25" x 8.75"

Weight: 1lb.

Cord Length: 3ft



Frequently Asked Questions (FAQ)



LIBP22

Product ID: 46367

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- [MSDS \(Material Safety Data Sheet\)](#)
- [Video1](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)