

WAL-PFL-1-120-25

4 Foot Fluorescent Trouble / Drop Light w/ Hanging Hooks - 120V

Product ID: 46383

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

With integrated power outlets, the 4 foot long fluorescent trouble / drop light with hanging hooks provides maximum flexibility for both daisy chain use of multiple lamps or the ability to use power tools in conjunction with a rugged, reliable light source. This 4 foot fluorescent trouble light ships with 2 end hooks that enable operators to treat this light like a portable linear single bulb fixture. In addition to protecting the fluorescent light, the rubber end caps protect the work surface in the event that the light is dropped or falls. The Lexan sheath encapsulates the fluorescent bulb. With no glass to break, this fluorescent trouble light is ideal for food safe applications as well.

Used in practically any environment; General Maintenance, construction, aircraft interior, emergency shelters, long, narrow pathways, shipyards, etc; these lights are also suitable for civilian and military shelter units.

Electrical:

This 4 foot fluorescent task light is powered via a 25 foot power cord. In addition, an additional outlet is available at the opposite end of the light, enabling operators to daisy chain multiple units together, while only using a single outlet. These LED trouble lights are an alternative to traditional string lights, since they minimize cord use and can be configured to include different numbers of lights.

The 4 foot long fluorescent trouble / drop light with hanging hooks`

power feed-through feature makes them perfect for any area requiring maximum illumination from a minimum number of power outlets.

Complete with shock absorbers, the long fluorescent tube light with hanging hooks is exceptionally durable in various environments.

The easy-to-replace T12 34W light bulbs are also energy-efficient, with integrated light reflectors for shadow less lighting.

Specifications:

Wattage: 34
Cord: 25' straight
Weight: 12lbs.
Tube Size: T12



This image shows a 40` container with no illumination.

This images shows the 40` container illuminated by the WAL-PFL-1-120-25



This image shows the WAL-PFL-1-120-25 and it's sister fixture, the WAL-PFL-4-

120-10 connected simultaneously, there is no need for additional extension cords, the WAL-PFL-1-120-25 allows for interconnecting through each other, receptacle and plug on either end of the fixture. Note: WAL-PFL-4-120-10 are not interconnectable.



Frequently Asked Questions (FAQ)



WAL-PFL-1-120-25

Product ID: 46383

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- [Operations Manual](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)