Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

**FTL-3**

**24 Watt Biax Fluorescent Drop Light/Task Light with Interal Ballast - 25' cord - 3' Tube**

**Product ID: 46819**

**Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).**



**Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.**

**The biax fluorescent multi-task drop light** is ideal in practically any environment including, but not limited to: General Maintenance, construction, aircraft interior, emergency shelters, long, narrow pathways, shipyards, etc; these lights are also suitable for civilian and military shelter units.
Although constructed to be completely weather and impact resistant polycarbonate lens, the fixture sacrifices no light to obtain these feats. Its shock resistant design makes it durable enough to withstand drops, falls, and rough handling. This light also features a shatterproof lens and the light is rated to be food safe.
**The fluorescent task light is designed** to perform with cooler operating temperatures compared to conventional fluorescent lights to reduce the chances of fire and burns. Its built-in aluminum reflector provides a wide, glare-free shadowless light field. Made to easily change the bulbs and starters.

**Specifications:**

Wattage: 24
Cord: 25` Straight
Lamp Type: PL-L 24W/41
Base Size: G24

Weight: 4.8 lbs.

Lumens: 1800

Length: 32 inches

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

# Frequently Asked Questions (FAQ)

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364





Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364





**FTL-3**

**Product ID: 46819**

**Harmonized System (HS) Code:** 9405.10.8020
**Export Control Classification Number (ECCN):** EAR99

Links (Click on the below items to view):

- **Certificate 5, Misc**
- **MSDS (Material Safety Data Sheet**
- **Operations Manual**
- **HigResPic1**
- **HigResPic2**
- **HigResPic3**
- **HigResPic4**
- **HigResPic5**
- **HigResPic6**
- **ISO 9001 Certification**
- **Business Certificate**
- **Shipping Time Map**