

FTL-5

Fluorescent Drop Light/Task Light w/ Hooks - 34Watt - 25' cord - 4' Lamp

Product ID: 46821

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

FTL-5

CRI: 80

Dimensions: 45"

Watts: 25 watts

Voltage: 120 Volts AC

Lumens: 2150

Lamp Life Expectancy: 24,000 Hours

Lamp Type: T8

Operating Temp : 0°C to +60 C

Weight: 5 lbs

Cord: 25 foot SJOW

Beam Angle : 150°

Ratings

Wet area approved

Food Safe

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-903-270-1187

E-mail: sales@larsonelectronics.com

Made in the USA

The Larson Electronics FTL-5 25 watt T8 drop light is ideal in practically any environment including but not limited to: general maintenance, construction, aircraft interior, emergency shelter, long narrow pathways, ship yards, etc. These lights are also suitable for civilian and military shelter units.

Constructed to be weather and oil resistant, this T8 drop light sacrifices no light output or quality to obtain these features. The Larson Electronics FTL-5 is shock

resistant, making it durable enough to withstand minor drops, falls, and rough handling. Equipped with a 25 watt T8 lamp or a T12 lamp, this task light is designed to operate at cooler operating temperatures than conventional incandescent and T12HO fluorescent lights to reduce the chance of fire and burns. The built-in reflector provides a wide, glare free, and shadowless light field of bright white light.

This drop light comes standard with a set of drop hooks to allow users to conveniently hang the unit overhead anywhere illumination is needed. The FTL-5 is equipped with 25 foot of SJTO cable, making this drop light versatile and provides the operator with plenty of length for moving the light around the workspace. A built in push button switch at the end of the fixture allows operators to easily turn the lamp on or off without unplugging the cord.

Frequently Asked Questions (FAQ)





FTL-5

Product ID: 46821

Harmonized System (HS) Code: 9405.10.8020

Export Control Classification Number (ECCN): EAR99

Options:

FTL-5-Bulb

Example: FTL-5-T8

Bulb	
T8	-T8
T12	-T12

Links (Click on the below items to view):

- [MSDS \(Material Safety Data Sheet\)](#)
- [Operations Manual](#)
- [HigResPic1](#)
- [HigResPic2](#)
- [HigResPic3](#)
- [Video1](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)