

FML-215

Fluorescent Mirror Light - Flood Light - Low Profile

Product ID: 47171

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

Configuration: Work area light with 2 X 15 watt fluorescent lamps. Made with an aluminum housing with a white epoxy powder coat. Fixtures are supplied with a Class P ballast with an automatic thermally protective device. It is also equipped with 2-wire 3-pole 125V, 15A receptacle.

Housing: Aluminum body

Dimensions: 21.5" L X 5.5" H X 5.5" D

Electric Range: 120V 60Hz Standard; 277 Watt



Frequently Asked Questions (FAQ)

FML-215

Product ID: 47171

Harmonized System (HS) Code: 9405.10.8020

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)