

SLEDB-110V

110 Volt Strobe Light - Permanent Mount - 54 Flashes p/ Minute

Product ID: 47307

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

SLEDB-110V Flashing Strobe

Lamp Type: LED

Dimensions: 6.63"-High, 6.25" Diameter

Lamp Weight: N/A

Voltage: 110/120 VAC

Wiring: Direct Wiring to Power Source

Lighting Configuration: Strobing Flash

Joules: 4

Lumens/Second: 2732

Mounting: Permanent Mount

Features

SAEJ845, Class 1- Brightest Rating

Permanent Mount

110/120VAC

Three Color Options

Waterproof, Shock-Impact Resistant

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Fax: 1-903-498-3364

E-mail: sales@larsonelectronics.com

Made in the USA

The Larson Electronics SLEDB-110V Class 1 LED Beacon works on 110/120 VAC, offers a choice of several colors and is equipped with an aluminum base.

This compact, high powered LED beacon contains an LED lamp assembly that produces 360° of brilliant light without the dark spots or unevenness of traditional incandescent beacon lights. This beacon is equipped with powerful LEDs, helping to make this a Class 1 rated beacon and capable of producing a brilliant flashing pattern that is visible even in poor conditions. Available in a choice of red, amber,

or blue colors, this strobing beacon is designed to be permanently mounted with an aluminum base predrilled with three holes for standard self tapping screws.



Amber

Red

Blue

White

Green

[Click Images to Enlarge](#)

This waterproof beacon has an aluminum base and is designed to be permanently mounted on any flat surface. A polycarbonate lens protects the LED assembly and the housing is waterproof, shock resistant and built for reliable and durable operation. This LED beacon draws 2.2 amps on 120 volts, produces a highly visible 4 joules flash, and is rated Class 1 signifying the brightest intensity possible. A simple wiring harness provides easy connection to standard 110-120 VAC power sources.

Frequently Asked Questions (FAQ)





SLEDB-110V

Product ID: 47307

Harmonized System (HS) Code: 9405.41.84.10

Export Control Classification Number (ECCN): EAR99

Options:

SLEDB-110V-Color

Example: SLEDB-110V-AMB

Color	
AMBER	-AMB
RED	-RED
BLUE	-BLU
WHITE	-WHT
GREEN	-GRN

Links (Click on the below items to view):

- [Operations Manual](#)
- [HigResPic1](#)
- [HigResPic2](#)
- [HigResPic3](#)
- [Video1](#)
- [Video2](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)