

RNT-EPL-FL1524-LED-50

***RENTAL* Explosion Proof Aluminum LED Drop Light - 15 Watts - Class I, Div. I - 50' Cord**

Product ID: 47354

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

Specifications / Additional Information

RNT-EPL-FL1524-LED-50 Work Light

UL Listing: United States
Dimensions: L-27 " Dia-3.25"
Weight: 14.5 lbs
Total Watts: 15 watts
Voltage: 120V-240V 50/60Hz
Lamp Lengths: 2 Foot
Mounting: Aluminum Hook
Wiring: 50` 16/3 AWG SOOW cord
Lamp Type: LED Tube Lamp
Rental Type: Monthly, Weekly, Daily
U.L Approval: [U.S Certificate](#)

U.L. Ratings

Class 1, Division 1 & 2 for Group D
Class II, Division 1 Groups E, F, G
Class III, Division 1 & 2

Special Orders - Special Requirements

Contact us for special requirements
Toll Free: 1-800-369-6671
Intl: 1-903-270-1187
E-mail: sales@larsonelectronics.com

Rentals: In an effort to cut back on contracts and various other paper work, Larson Electronics processes rentals like purchases until the product is returned. (Rent to Own Rates) This means, we will charge the customer for the product total and credit back the difference once the fixture is returned. Weekly and Monthly terms are available. Customer must pay shipping to and from the destination. Please contact us at (903) 498-3363 for further information if required.

Rental Prices for the RNT-EPL-FL1524-LED-50;

Monthly...\$148.00 USD

Weekly...\$89.00 USD

Subtract rental cost from total cost for the amount that will be credited back to customer upon return of product. Customer can choose to convert their rental to a purchase at any time during the rental period. When returned, deductions will also be made for shipping, repairs, and excessive cleaning, if needed.


Made in the USA

[This unit is for rentals. Please scroll down for rental rates](#)

The Larson Electronics RNT-EPL-FL1524-LED-50 Hazardous Area LED Work light is UL Listed Class 1 Division 1 & 2. With a 2 foot long 15 watt LED tube lamp, this hazardous location light provides better quality light than higher wattage incandescent lights and more light than previous fluorescent lamp equipped models. This light is suitable for exposure to vapors and dusts and ideal for use in paint spray booth inspections or as general portable lighting in confined spaces like fuel tanks or grain storage areas.

This 2 foot long, 15 watt, explosion proof LED work light from Larson Electronics.com comes complete with a 50 foot long explosion proof cord for long range and convenient operation. This hazardous location area light features a rugged, non-sparking aluminum casing and unique rod cage and produces cool, glare-free, shadowless light that improves safety in hazardous locations and maximizes lighting efficiency with built-in metal reflectors.

These LED lights improve on the desirable qualities of similar fluorescent models with higher output and better light quality and are ideal for paint booth applications, storage container inspections and applications involving confined spaces such as tank cleaning and industrial container maintenance. The high light output, good light color and evenness of coverage makes these lights ideal for a wide variety of close quarter work and inspection activities.



40" Container Dark



Container With EPL-FL1524-LED

[Click Photos to Enlarge](#)

The 15-watt LED lamp used in this unit provides as much illumination as higher-wattage incandescent lamps without the associated heat, reducing the chances of accidents or burns. This lamp has no ballast, which reduces lamp weight, an impact resistant tube shield with specially designed annealed glass and an aluminum hook for easy overhead mounting. The 50 foot long, Class 1 Division 1 rated SOOW 16/3 AWG cord and explosion proof slip-ring housing help this unit to achieve approval for use in environments containing flammable vapors and combustible dusts. This explosion proof fluorescent hand lamp can be used within hazardous locations rated Class1 Division 1 and 2, and Class 1 Division 1 and 2, making it ideal for hazardous work areas where a ready source of easily managed lighting is desired.

Lamp Features

- 2 foot 15 watt LED Tube Lamp 50,000 hour service life
- Non-sparking aluminum housing
- No Ballast
- Molded rubber bumper guards
- Annealed glass tube shields prevent shattering
- Integrated lamp shock absorbers prevent drop damage to bulbs

Swivel hook for hanging and hands free operation
Explosion proof cord



Frequently Asked Questions (FAQ)









RNT-EPL-FL1524-LED-50

Product ID: 47354

Harmonized System (HS) Code: 9405.41.84.10

Export Control Classification Number (ECCN): EAR99

Options:

RNT-EPL-FL1524-LED-50-Rental Length

Example: RNT-EPL-FL1524-LED-50-MR

Rental Length	
MONTHLY	-MR
WEEKLY	-WR
DAILY	-DR

Links (Click on the below items to view):

- [Dimensional Drawing 2D](#)
- [DXF \(2D CAD Model\)](#)
- [Operations Manual](#)
- [STEP File \(3D CAD Model\)](#)
- [HigResPic1](#)
- [HigResPic2](#)
- [HigResPic3](#)
- [HigResPic4](#)
- [HigResPic5](#)
- [HigResPic6](#)
- [HigResPic7](#)
- [HigResPic8](#)
- [Video1](#)
- [Video2](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)