

Golight Stryker - 24V - Magnetic Mount - Wireless Dash Mount Controller GL-3151-24-M



GL-3151-24-M Golight Stryker

Lamp Type: 65 Watt Halogen Bulb
Dimensions: 6" W x 6" Depth x 7" H
Weight: 5 Lbs
Total Watts: 65 watts
Voltage: 12V DC
Lighting Configuration: Spotlight
Amps: 5.5 Amps
Mounting: 200 Lb Grip Magnetic Base

Total Lumens: 1,300

Lamp Color Temperature: 6000 Kelvin
Weather Rating: Weatherproof
Movement Range: 135° Tilt - 370° Rotation
Remote Control: Single Wireless, Dash Mount Radio Control. 433 MHz
Warranty: 3 Years

3 Year Limited Warranty

Summary/Certifications

65 Watt, 1,300 Lumen
Remote Control, 100' Range
Meets Marine Standards for Fresh / Saltwater Use.
UV and Weatherproof
12 VDC Operation

Special Orders- Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-903-498-3363

E-mail: sales@larsonelectronics.com

The GL-3151-24-M Golight Stryker from Larson Electronics is a 65 Watt motorized spotlight that operates with a dash mount wireless remote control. This particular model is available in black and is magnetically mounted. It produces a wide spot beam with an effective working beam of 850 feet and has a 6.5 million candpower rating. The GL-3151-24-M Golight Stryker is designed for use in all weather conditions and produces 1,300 lumens of intense light output. These units feature remote control operation that allows users to rotate the light 370 degrees with a hard stop and to adjust vertical tilt through 135 degrees. Remote operation is provided by one dash mount wireless remote controller that operates over a radio frequency of 433 MHz. This remote includes an internal 12 volt battery rated at 1 year of operation and a single red LED to indicate remote control activity. The remote controller has a range of up to 100 feet and will operate through walls, within structures, and in vehicles. The remote is constructed of polycarbonate with rubber push pad buttons for weatherproof durability and can be user programmed to operate one or several lights simultaneously. Remotes are 4 inches long by 2.5 inches wide by 1/2 inch thick.

Remote Operation: Remote control functions include on/off, and 4 buttons which control up, down, left and right movement. The light will continue movement as long as the buttons are pressed. Releasing the buttons stops movement and holds the Golight in position. A fast and slow mode button (turtle/hare) controls the

speed of the motor while the pan and tilt function buttons are depressed. Holding the button for 12 seconds in fast mode results in a full 370 degree rotation, and 8 seconds for full tilt. Slow mode is used for pinpoint accuracy at distance and is approximately 35 seconds for full rotation and 20 seconds for one full range of tilt.

Durability: The GL-3151-24-M Golight Stryker is designed for hunting and demanding outdoor use with a weather resistant housing constructed of high quality ASA Luran thermoplastic that is heat resistant, impact resistant, UV resistant and able to withstand rugged use and abusive conditions. This particular Golight Stryker is black in color, making it ideal for docks and buildings where an attractive appearance is desired. Remote movement of this spotlight is provided by an automotive grade internal motor, gear, and transmission assembly that is constructed of LEXAN, brass, and stainless steel to provide rust and corrosion resistance as well as long life and reliable operation.

Mounting: The light is magnetically mounted with a 200 pound grip magnetic base that is tested to speeds up to 60 miles per hour. The magnetic base is encapsulated in soft rubber to adapt to uneven vehicle surfaces and prevent scratches on vehicle paint. A wrap around base seal prevents dirt from entering the base of the light.

Power: This light operates with 12 volts DC and draws 5.5 amps, making it ideal for vehicles, boats, ATVs, and similar sources of 12 volt direct current. On this particular model, the light ends in a 16 foot detachable outdoor rated cord with a cigarette plug. Weather tight connectors enables the operator to disconnect the cord 12 inches from the light for storage or vehicle portability.

Light Output: The lamp in this Golight Stryker is a 65 watt Halogen Cr5 Pentabeam II bulb which produces 1,300 lumens. This bulb is paired with a tight focus spot beam optics to produce a spot beam 850 feet in length. This lamp has a 6000K color temperature, giving it very good color rendering and contrasting properties and the ability to clearly and sharply illuminate objects at long distances. This beam is effective to the far end of its reach, producing enough illumination to read a book at 850 feet.

This high power Golight Stryker is ideal for hunting, security, boating, law enforcement, emergency services, utilities, and anywhere high power and remote control functionality are desired.

Note on Voltage: Most vehicles are 12 Volt DC. 24 Volts **DOES NOT** mean more power. Running a 24V light from a 12V power source will result in a very dim or non-functioning light and may cause internal damage to the light as well. For common vehicle use, please order 12V.

Golight Stryker Features

1. Weather Proof Lamp and Remote Control
2. Remote Control Programmable with More than 60,000 Possible Channels. Remotes Can be Programmed to Control One Golight or Several
3. R.F. Frequency, F.C.C., S.A.E. tested and Canada Certified
4. Remote Control Range up to 100 Feet
5. Automotive Grade 12 Volt D.C. High Torque Motor
6. Weatherproof Connectors Meet OEM Vehicle Manufacturer Specifications
7. Meets Marine Standards for Fresh Water and Saltwater Use
8. 1,300 Lumens, 850 Foot Beam Length
9. 12 Volt DC 5.5 amps Draw

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671



www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Links (Click on the below items to view):

- [large](#)
- [Manual](#)
- [medium](#)
- [SpecSheet](#)
- [SpecSheetSpanish](#)