

SL4-LED

LED Strobe Beacon - Strobe or Steady Burn - 10-30VDC - Permanent Flush Mount

Product ID: 49590

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

SL4-LED LED Strobing Beacon

Lamp Type: LED

Dimensions: 4.75"L X 2"H X 1.5"D

Lamp Weight: 1 Lbs

Voltage: 10 - 30 VDC

Wiring: 3 Wire Red, White, Ground

Lighting Configuration: Strobing Flash / Constant On

Mounting: Permanent

Amps: Less than 1/4 amp at 12 VDC

Features

Permanent Mount

2 Operating Modes

Amber, White, or Red Colors

Waterproof, Shock Resistant

Compact Size

360° of Visibility

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-903-270-1187

Fax: 1-903-498-3364

E-mail: sales@larsonelectronics.com

Made in the USA

The Larson Electronics SL4-A-LED Flush Mounting LED Strobing Beacon works on 10 to 30 volts DC, offers a choice of Red, Amber, or White, colors, and can be operated in a strobing or constant on mode.

This compact and flush mounting LED beacon contains an LED lamp assembly and Fresnel lens that allows 360° of visibility. This LED beacon is available in a choice of white, amber or red colors, and includes gaskets and preformed holes for flush mounted installations.

This flush mount LED beacon can be operated in either a constant on or strobe mode. Operating modes are controlled by installing an on and off switch inline with the red and white wires. To switch between modes, the operator simply toggles the switch on and off. This waterproof and shock resistant beacon has Fresnel lens that allows this LED beacon to be seen over 360° of direction. This unit is designed for permanent mounting and can be operated with voltages of 10 to 30 volts DC without the need for additional hardware. Included with this unit is a black plastic gasket with preformed mounting holes to allow simple permanent mounting to any flat surface.


This compact LED beacon produces a superior signal with a small form factor, making it ideal for Utility, Construction, Security, Snow, Maintenance and any application requiring an effective and highly visible beacon signal.

Frequently Asked Questions (FAQ)









SL4-LED

Product ID: 49590

Harmonized System (HS) Code: 9405.41.84.10

Export Control Classification Number (ECCN): EAR99

Options:

SL4-LED-LED Color

Example: SL4-LED-AMB

LED Color	
AMBER	-AMB
WHITE	-WHT
RED	-RED
GREEN	-GRN
BLUE	-BLU

Links (Click on the below items to view):

- [Dimensional Drawing 2D](#)
- [Operations Manual](#)
- [STEP File \(3D CAD Model\)](#)
- [HigResPic1](#)
- [HigResPic2](#)
- [HigResPic3](#)
- [HigResPic4](#)
- [HigResPic5](#)
- [HigResPic6](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)