Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

## BML-150LED

# 150W LED Pedestal/Magnetic Mount Work Area Light - 14,790 Lumens - 25 Foot Cord

**Product ID: 50550**

**Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).**



**Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.**

**BML-150LED**

**Lamp Type:** Cree XLamp XPG® LEDs
**Lumens:** 14,790
**Total Watts:** 150
**Dimension:** 28"H x 16"D x 18"W
**Voltage:** 120-277 V AC
**Lighting Configuration:** Flood Pattern
**Mounting:** Aluminum Pedestal Stand w/ (4) 200 lb Grip Magnetic Feet
**Weight:** 35 lb
**U.L. Listing:** Wet Area / Marine Environment Approved
**Total Coverage:** 18,000 Sq. Feet
**Wiring:** 25` 16/3 Cord w/ General Area Cord Cap
**Cord Cap Options:** 5-15, 6-15, 5-20, 6-20, L5-15, L6-15, L5-20, L6-20, BS1363, Schuko, or Pigtail
**Portability:** Adjustable Aluminum Carry Handle

**Features**

Aluminum Pedestal/Magnetic Mount
110-277 VAC Transformer
IP68 Rated LED Assembly
25` Cord and Straight Blade Plug
Adjustable Carry Handle

**Special Orders - Special Requirements**

Contact us for special requirements

**Toll Free:** 1-800-369-6671

**Intl:** 1-903-270-1187

**E-mail:** sales@larsonelectronics.com

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

# Frequently Asked Questions (FAQ)

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364





Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364





Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

**BML-150LED**

**Product ID: 50550**

**Harmonized System (HS) Code:** 9405.41.84.10
**Export Control Classification Number (ECCN):** EAR99

**Options:**

**BML-150LED-Beam Config-Cord Cap**

**Example: BML-150LED-S-5.15**

| Beam Config | |
|---|---|
| SPOT | -S |
| FLOOD | -F |

| Cord Cap | |
|---|---|
| 5-15 STRAIGHT | -5.15 |
| 6-15 STRAIGHT | -6.15 |
| 5-20 STRAIGHT | -5.20 |
| 6-20 STRAIGHT | -6.20 |
| L5-15 TWIST | -L5.15 |
| L6-15 TWIST | -L6.15 |
| L5-20 TWIST | -L5.20 |
| L6-20 TWIST | -L6.20 |
| UK BS1363 | -BS1363 |
| INTL SCHUKO | -SCHUKO |
| PIGTAIL | -PIGTAIL |

Links (Click on the below items to view):

- **Dimensional Drawing 2D**
- **Operations Manual**
- **SpecSheetFrench**
- **STEP File (3D CAD Model)**
- **HigResPic1**
- **HigResPic2**
- **HigResPic3**
- **HigResPic4**
- **HigResPic5**
- **HigResPic6**
- **HigResPic7**
- **HigResPic8**
- **HigResPic9**
- **HigResPic10**
- **Video1**
- **ISO 9001 Certification**
- **Business Certificate**
- **Shipping Time Map**