

WALTP-1X20ET-1227

Single Head LED Telescoping Light Tower - Extends 3.5' to 10' - 60 Watts - Adjustable U-Bracket - HV

Product ID: 50877

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

1WALTP-1X20ET-1227 LED Light Tower

1#000000Lamp Type: 2X LED Light Bars

141Dimensions:1 Telescoping- 3.5` to 10`

1Total Watts:1 60

1Lumens:1 3,600

1Voltage: 1120-277 VAC with Transformer, 9-32 VDC without Transformer

1Amps: 10.5 @ 120VAC; 5 on 12 VDC; 2.5 on 24VDC

1Mounting: 1Heavy Duty Aluminum Telescoping Light Tower

1Lighting Configuration: 135° Flood or 10° Spot

141LED Light Color: 16000K

141LED Life Expectancy:1 50,000 Hours

141Wiring:1 Inline, Water-Proof Switch, Inline Transformer, 16` 16/3 SOOW cable input with 5` 16/3 SOOW between transformer and light

1Cord Cap:1 5-15, L5-15, L6-15, BS1363, Schuko, or Pigtail

141Unit Weight:1 24 lbs. Total

141Spot Beam:1 725`L x 100`W

1Flood Beam: 1300`L X 225`W

14

1CE Certified

13 year warranty replacement on this LED light. After 30 days, the customer ships the failed LED light and/or LED bulb to Larson Electronics at their expense. If the failure is a manufacturer defect, we will ship a new replacement to the customer. If failure occurs within 30 days of receipt, Larson Electronics will provide a return label via email to the customer. When the failed light is returned, Larson

1WALTP-1X20ET-1227 Features

1IP68 Rated Weatherproof & Waterproof

1Adjustable Tripod Extends 3.5` to 10`

1Multi-Voltage 120-277 VAC, 9-32 VDC

1Low Amp Draw

1Long 50,000 Hour LED Life

1Inline Switch

1Special Orders - Special Requirements

1Contact us for special requirements

1Toll Free: 11-800-369-6671

1Fax: 11-903-498-3364

1E-mail: 1sales@larsonelectronics.com

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671



www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Electronics will ship a new replacement.

2

Frequently Asked Questions (FAQ)









WALTP-1X20ET-1227

Product ID: 50877

Export Control Classification Number (ECCN): EAR99

Options:

WALTP-1X20ET-1227-Beam Pattern-Cord Cap

Example: WALTP-1X20ET-1227-SP-5.15

Beam Pattern	
SPOT	-SP
FLOOD	-FL

Cord Cap	
5-15 STRAIGHT	-5.15
6-15 STRAIGHT	-6.15
L5-15 TWIST	-L5.15
L6-15 TWIST	-L6.15
UK BS1363	-BS1363
INTL SCHUKO	-Schuko
PIGTAIL	-Pigtail

Links (Click on the below items to view):

- [Operations Manual](#)
- [HigResPic1](#)
- [HigResPic2](#)
- [HigResPic3](#)
- [HigResPic4](#)
- [HigResPic5](#)
- [HigResPic6](#)
- [HigResPic7](#)
- [HigResPic8](#)
- [HigResPic9](#)
- [HigResPic10](#)
- [Video1](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)