

MUL-2

MUL-2 Magnetic Utility Light (MUL) Magnetic Mount - Spotlight - 5 million Candlepower

Product ID: 551

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

The Magnetic Utility Light (MUL) (TM) series of spotlight and flood lights are MADE IN THE USA and enable the operator to control the rotation and elevation of the light beam. An ideal searchlight configuration, the operator uses the handle to position the beam. Magnetic Utility Lights (MUL) have magnetic mount bases, measuring 3.25 inches in diameter, that have 100 pounds of magnetic pull. Magnetic Utility Lights are used as military spotlights, searchlights, utility spotlights, roof mount spotlights, hunting spotlights, work lights and linesman lights.

Magnetic Utility Light (MUL) will hold their position once the operator places the beam. The operator can adjust the tension bolts to increase or lessen the "position holding" hinge depending on the amount of vibration in the environment. Magnetic Utility Lights can be used on vehicles, boats and heavy equipment.

- This 35 watt, sealed beam spotlight emits 1050 LUX at 25 feet and reaches a distance of 390 feet. At its widest point, this light beam will be approximately 75 wide. Like the entire all-glass range, this lamp was designed and built for aircraft landing lights. As a result, the lamp not only produces a bright beam, but it also is resistant to vibration and weather related damage. This particular lamp contains a strong filament covered by a full arc shield. The shield gathers the light from the bulb and focuses it into the reflector of the spotlight. The resulting beam from this spotlight is highly focused. This spotlight is reasonably effective for inclement weather use. This spotlight is popular with utility workers, since

linesman and other workers can look into the spotlight without getting the blinding effect from the spotlight. The shield in front of the bulb creates this non-blinding effect for this spotlight. The life of this lamp is rated at 150 hours within a Larson Electronics spotlight. The beam pattern is shaped like a long cigar, with its thickest part a little past the halfway point. This spotlight has a reflective shield directly in front of the bulb. This focuses the light and minimizes the impact of looking directly into the light while working. This spotlight is extremely popular with cable and telephone company installation and repair crews.

- Solid polycarbonate upright, handle supports lamp. Handle is contoured to individual fingers for comfortable grip and control. Upright handle configuration enables operator to control the movement of the light easily. Upright handle elevates lamp 7 inches from the magnetic base, to improve the reach of the light beam. Finally, the handle enables the operator to easily remove the light from its mounting surface, even though the magnetic base is strong.

- 3.25 inch diameter round magnetic base enables the light to be mounted securely to any metal surface. Larson Electronics provides magnetic mount plates to attach to non-ferrous surfaces. These plates enable the use of all the Larson Electronics' remote control spotlights with magnetic bases on any surface, including fiberglass, wood and concrete. These mounting plates are sold separately.

- Interlocking aluminum and stainless steel u-brackets secure the elevation of light beam once the operator positions the beam. The operator can tilt the lamp head up and down with pressure from a single hand. The tension on the hinge system will hold the lamp head in place once the operator positions it. This means that the operator can position the light beam at any angle and the light will hold that angle until the operator changes the tilt of the beam.

- UV and salt resistant lamp housing measures 6 inches in diameter and 3.5 inches deep.

- On/off toggle switch located on the back of the lamp housing controls power to the lamp.

- Detachable cord options include 16 foot cord with cigarette plug, 21 foot cord with spring battery clamps, 21 foot cord with 3/8 inch ring terminals, 10 foot coil cord with cigarette plug, 16 foot cord with cigarette plug with on/off switch and 21 foot cord with ring terminals and inline on/off switch. Each Control Light is equipped with a one foot pig tail with 2 pin SAE connector. All cords manufactured by Larson Electronics (www.larsonelectronics.com) are compatible with the Magnetic Utility Light (MUL) with magnetic base.

- 7 year warranty covers all components except lamp. Lamp is easily field serviceable and can be changed within 3 minutes.

- MAGNETIC UTILITY LIGHTS (MUL) ARE MADE IN THE USA.

Made in the USA

Frequently Asked Questions (FAQ)









MUL-2

Product ID: 551

Harmonized System (HS) Code: 8512.20.2080

Export Control Classification Number (ECCN): EAR99

Options:

MUL-2-Cords

Example: MUL-2-16CP

Cords	
16'-CIG PLUG	-16CP
21'-RING TERMINAL	-21RT
21'-BATT CLAMP	-21BC
10'-COIL CORD	-10CC

Links (Click on the below items to view):

- [Dimensional Drawing 2D](#)
- [Operations Manual](#)
- [HigResPic1](#)
- [HigResPic2](#)
- [HigResPic3](#)
- [HigResPic4](#)
- [HigResPic5](#)
- [HigResPic6](#)
- [HigResPic7](#)
- [HigResPic8](#)
- [HigResPic9](#)
- [HigResPic10](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)